

# FIND NEW ROADS"



# PERFORMANCE





Power your project car with the high-tech heart of the legendary Corvette Stingray. Our powerful, all-new LT1 small-block crate engine features Direct Injection and continuously Variable Valve Timing, making it the most technologically advanced V8 crate engine Chevrolet Performance has ever offered.

EXPLORE THE LT1 AT CHEVROLET.COM/PERFORMANCE

# CAR CONTENTS

# **JULY 2015**

# →UP FRONT

# **06 SHOP TALK**

Make the most of your time.

# →HANDS ON

### **10 HORSEPOWER!**

Nick Droit's 1,100hp, 357ci Chevrolet.

### **12 SPEED PARTS**

The parts can help spruce up your summer project!

### **14 DRAG TIRES**

The Mickey Thompson ET Street is dead.

### **20 STARTER 101**

Because there's more to a starter than you realize.

### **26 ASK ANYTHING**

Which goes first, the crank or the cam?







# →PROJECT CAR

### **32 THIS GUY'S GARAGE**

Pacific Fabrication's 10,000-sq-ft facility in Gilroy, California.

### **36 PROJECT ZEDSLED**

How to rebuild the front suspension of a second-gen Camaro.

# **46 PROJECT DEMON**



# CAR CONTENTS

# **JULY 2015**

# **→FEATURES**

# **54 KRASS & BERNIE**

The guys need to find a way to pay some bills.

# **58 REAL-WORLD, 10-SECOND CARS**

Recipes for building a fast street car.

### **68 STREET KING**

Eddie Holbrook's turbocharged 1967 Camaro.

### **76 KILLER CADILLAC**

Testing a Livernois Motorsports-tuned CTS-Vsport.





# →ON THE COVER

Two Fords and a Chevy. Photo by Wes Allison.

# →BACK OF BOOK

# **78 JUNKYARD CRAWL**

Trawling local junkyards and scoring big.


# **82 WHERE'S THE FUN?**

Readers' rides and fractional ads!

# 90 REAR

Roof scraper.





REDTOP THE ULTIMATE POWER-YOU-CAN-ALWAYS-COUNT-ON BATTERY





# **SHOP TALK**



# **TOUGH TIMES**

wo recent tragic events spurred a period of introspection for me. One was the death of two spectators at a street race in Chatsworth. California. For years, we've danced around the subject of street racing in Car Craft. I've interviewed street racers all across the country, and all along, we were careful to not show any street racing in pictures, nor discuss it directly in print. What we were mainly after was the combination, and those articles basically amounted to recipes or formulas for readers to follow or adapt when building their own cars. It's grassroots car crafting, and I stand by those articles for the mechanical information they provide, but I do wish the stuff happened at a safer venue than a street.

I understand and sympathize on a certain level, though. Racing is expensive. Keep a tally of all the things track inspectors ding you and your fellow racers for—the necessary safety equipment just to run in the low-10s can be cost-prohibitive to the younger kids working with a tight budget. The argument from street racers is that it costs too much to race at the track. What's your life worth, though? It's easy to be cavalier about such things in your 20s. Still. I'd like to see rules for safety equipment be easier to understand. and I like to see venues where some of the rules are bent a bit to encourage street racers to race at a track. In spite

of the tough talk and posturing you see from some of these guys, I believe they'd choose the safer venue when given the choice. Hot Rod and Car **Craft** rented the dragstrip at California Speedway last January to test some of our own cars, and I took advantage of the opportunity to invite a few street racers whose cars I wanted to include in this issue's 10-Second Street Cars article (page 58). Just by word of mouth, we had an incredible turnout. People took off work, trailered their cars for hours, and we saw some great racing. Give people a safe, economical place to participate in motorsports, and they will use it. I believe track officials, local politicians, and enthusiasts can develop more grudge-race-type events or even closed-street, eighth-mile races like the event that just happened in Texas—or like the Street Outlaws show on TV. The Brotherhood of Street Racers is working to make events and venues like this possible, and we support their efforts.

The other tragedy was the untimely death of friend, colleague, and former **Car Craft** staffer John Kiewicz, whose last article appears on page 20 of this issue. John is the reason I am here at **Car Craft**. Late in 2002, I graduated from Ohio University with a bachelor's degree in visual communication, and I was having a terrible time finding a job as a newspaper photographer. My sister convinced me to contact *Motor* 

*Trend* to inquire about the possibility of working for a car magazine, a job I lusted after but had long dismissed as pure fantasy. Not so, it turns out. John Kiewicz was on the other end of the phone at MT; an internship was available and he asked for my portfolio. I eventually became that intern and spent most of 2003 working with John more as a staffer than a gofer. It was incredible. John left MT a couple years later, and I moved on within the company, ending up at Car Craft. We reconnected when I took over CC; he offered to write a series of basic tech articles, and I was grateful for his help. We talked more regularly, too, not just about jobs but about our kids, dogs, cars, and about meeting at his house for a barbecue—personal stuff that was a welcome distraction for me. His last communication came via text message the day before he was killed in a traffic accident: "You are welcome anytime." I haven't deleted it. I'm not going to, and I mourn the loss. Hold on to what's important in your lives, and make the most of the time you've got.

—John McGann

CarCraft@CarCraft.com Facebook.com/carcraftmag CarCraft.com Car Craft Mag

Car Craft Mag 831 S. Douglas St. El Segundo, CA 90245

# Build Blue with Blue and save up to \$500



# There's a Blue That's Right for You

Many of our most popular machines are eligible for a mail-in rebate — and an even larger rebate when you purchase additional Miller\* or Hobart\* products. Choose your machine — and then choose your rebate!

Visit your distributor for details, or go to MillerWelds.com/buildwithblue







2015 Miller Electric Mfg. Co.

ler, the Miller logo, The Power of Blue, Blue Star, Maxstar, Millermatic, Spectrum and Syncrowave are registered trademarks of Illinois Tool Works, Inc. Hobart is a registered trademark of Hobart Brothers, Inc.








# CALIFORNIA GOLD° Instant Detailer

From the inventors of the M.O.M. -Mechanized Overprotective Mother Hood Ornament

Quickly cleans and enhances, while adding depth and clarity. Whether you're at home or on the go, it's easy to give your ride that striking showroom shine.



**MOTHERS.COM** 



### **EDITORIAL**

Network Director
Editor
Managing Editor
Contributors
Tommy Lee Byrd, John Kiewicz,
Steve Magnante, Jason Sands, Bob Swaim,
Tori Tellem, Kevin Tetz, George Trosley

### **ART DIRECTION & DESIGN**

Creative Director Edwin Alpanian Art Director Roberta Conroy

# ON THE WEB

CarCraft.com CircleTrack.com HotRod.com MoparMuscleMagazine.com

# MANUFACTURING & PRODUCTION OPERATIONS

VP, Manufacturing &
Ad Operations Greg Parnell
Sr. Director,
Ad Operations Pauline Atwood
Archivist Thomas Voehringer

### SUBSCRIPTION SERVICES

Email carcraft@emailcustomerservice.com, call 800/800-4681 (386/447-6385, international), or write to *Car Craft*, P.O. Box 420235, Palm Coast, FL 32142-0235. Please include name, address, and phone number on any inquiries. For change of address, six weeks' notice required. Send old as well as new address to *Car Craft*, P.O. Box 420235, Palm Coast, FL 32142-0235.

Occasionally our subscriber list is made available to reputable firms offering goods and services we believe would be of interest to our readers. If you prefer to be excluded, please send your current address label and a note requesting to be excluded from these promotions to TEN: The Enthusiast Network, LLC, 831 S. Douglas St., El Segundo, CA 90245 Attn.: Privacy Coordinator.

Canada Post: Return undeliverable Canadian addresses to IMEX Global Solutions, P.O. Box 25542, London, ON N6C 6B2.

Reprints: Contact Wright's Media at 877/652-5295 (281/419-5725 outside the U.S. and Canada) to purchase quality custom reprints or e-prints of articles appearing in this publication. Back issues: To order back issues, visit https://www.circsource.com/store/storeBackIssues.html.

Any submissions or contributions from readers shall be subject to and governed by TEN: The Enthusiast Network's User Content Submission Terms and Conditions, which are posted at: http://www.enthusiastnetwork.com/submissions/.

# ADVERTISING INFORMATION

Please call Car Craft Advertising Department at 310/531-9183. Related publications include Circle Track, Classic Trucks, Engine Masters, Hot Rod, Hot Rod Deluxe, Mopar Muscle, Muscle Car Review, and Street Rodder.

Copyright 2015 by TEN: The Enthusiast Network Magazines, LLC

ALL RIGHTS RESERVED PRINTED IN THE U.S.A.

### **ADVERTISING**

General Manager, Hot Rod Network General Manager, Muscle Car Group Advertising Coordinators

Tim Foss

Ed Zinke Patricia Ludi Shriraman Bashyam

General Manager's Asst./ Event Coordinator

Yasmin Fajatin

To advertise on this magazine's website, or any of TEN: The Enthusiast Network's other enthusiast sites, please contact us at AM-advertising@enthusiastnetwork.com

### WEST

**Los Angeles:** 831 S. Douglas Street, El Segundo, CA 90245, 310/531-9900

### **EAST**

**New York:** 260 Madison Avenue, 8th Floor, New York, NY 10016, 212/726-4300

### NORTH

**Detroit:** 4327 Delemere Court, Royal Oak, MI 48073, 248/594-5999

### **MIDWEST**

Chicago: 312/396-0620

### SOUTHEAST

**Tampa:** 813/675-3479

# TEN: THE ENTHUSIAST NETWORK, LLC

Chairman **Chief Executive Officer EVP, Chief Financial Officer** President, Automotive EVP. Chief Creative Officer **EVP, Sports & Entertainment EVP, Chief Content Officer EVP, Operations SVP**, Enterprises EVP, Sales & Marketing **SVP**, Digital Operations VP, Sales Operations SVP, Financial Planning SVP, Automotive Digital VP, Editorial Operations **EVP, Aftermarket Automotive** SVP, Content Strategy, Automotive SVP, Digital, Sports & Entertainment VP, Digital Monetization SVP, Marketing

Peter Englehart Scott P. Dickey Bill Sutman Scott Bailey Alan Alpanian Norh Garrett Angus MacKenzie Kevin Mullan Tyler Schulze Eric Schwab Dan Bednar Matt Boice Mike Cummings Geoff DeFrance Amy Diamond Doug Evans

David Freiburger

Greg Morrow Elisabeth Murray Ryan Payne Bill Wadsworth

# CONSUMER MARKETING, ENTHUSIAST MEDIA SUBSCRIPTION COMPANY, INC.

SVP, Circulation VP, Retention & Operations Fulfillment


EVP, Mind Over Eye

Tom Slater Donald T. Robinson III












At Mothers, we're always thinking of ways to make the world a better place for cars. And while some ideas may never make it onto the shelves, rest assured, we'll never stop innovating.



# **HORSEPOWER!**





# **SPEED PARTS**




# RELIABLE FUEL DELIVERY

**What it is:** The 585xx Series regulator from Fuelab.

Why you care: If you need a reliable, consistent flow of fuel to your carburetor and nitrous system, check out Fuelab's 585xx fuel-pressure regulators. The billet-aluminum housing contains a poppet-valve design that offers precise, stable fuel delivery in a 4- to 10-psi range. They are compatible with methanol and E85 and are rebuildable if you need to service them.

**How much:** No pricing as of press time. **Learn more:** Fuelab:

618/344-3300; Fuelab.com



### **KEEP LEARNING!**

**What it is:** David Vizard's "Chevy Big-Blocks On a Budget," the revised edition from CarTech Books.

Why you care: We never want to stop learning, and neither should you. We used David Vizard's original version of this book when planning the build of our Blue Collar 454, and the information was invaluable. Vizard has revised the copy to reflect new products and innovations in the aftermarket, so it would be a worthy purchase, even if you have the old book.

How much: \$26.95

**Learn more:** CarTech Books; 800/551-4754; CarTechBooks.com



# **BULLITT CYLINDER HEADS FOR BIG-BLOCK FORD**

What it is: New heads from Air Flow Research.

**Why you care:** There's a lot of power lurking within Ford's 385-series big-block engines. The blocks are strong, and the bottom end can swallow a big-stroke crankshaft. There are a few good cylinder heads on the market, but AFR is ratcheting up the performance potential with these new, clean-sheet design castings. Three different intake runners are available—270, 285, and 300 cc—and you have the choice of a 75- or 88cc combustion chamber. Flow-bench testing indicates a stellar 420-plus-cfm rating on the intake side, so build the biggest engine possible and get ready to be pinned to the driver seat the first time you mat the gas.

How much: \$5.500 for the pair

Learn more: Air Flow Research; 661/257-8124; AirFlowResearch.com




# NEW ENGINE HARNESS FOR COYOTE AND MODULAR FORDS

**What it is:** A stand-alone wiring harness for overhead-cam Fords. **Why you care:** It's about time someone has done this! Holley just introduced its

new plug-and-play, engine-wiring harnesses for Mod Motors and the Coyote V8. They've pretty much covered the field with a variety of part numbers designed to work with SOHC and DOHC Modular engines, and the range of coil and injector designs used throughout the range. Pair the harness up with one of Holley's EFI ECMs and you'll have tunable control over your engine. If you choose Holley's Dominator ECM, you'll also be able to control a 4R7OW transmission and utilize the stock drive-by-wire throttle.

**How much:** The harnesses sell for about \$430. Complete kits with Holley's HP ECM cost around \$1,800.

**Learn more:** Holley; 270/782-2900; Holley.com



# IT'S IN THE DETAILS.

You know every inch of your bike. Not just the engine size, or the color code of the paint. It's the special details that only you know about. Like the way the exhaust opens up just right at 3,200rpm. Or that scuff on the footpeg you picked up while riding through Deal's Gap.

It's the details that make your bike unique, and no one knows this more than GEICO. With GEICO Motorcycle insurance, you'll get coverage specific to your bike, and a team of people who love motorcycles as much as you do.

When it comes to insurance, it's the little things that make a big difference. Trust the details to GEICO Motorcycle.



GEICO. Motorcycle geico.com | 1-800-442-9253 | Local Office

# **NEW TIRE TECHNOLOGY** FROM MICKEY THOMPSON

By Douglas R. Glad / Photos: Courtesy of Mickey Thompson

The beloved ET Street, the ET Street Radial, and the ET Street Radial II are going to be replaced by two new tires in 2015, according to Ken Warner, vice president of marketing at Mickey Thompson Performance Tires & Wheels (M/T).

The ET Street had been the staple of street/strip car guys since 1996 when M/T introduced the M5 compound bias-ply tire for DOT drag-racing classes. The tire used ET Drag construction technology, had a DOT stamp on the sidewall, and tread for the street.

The ET Street Radial entered the market in 2004 using the R2 compound for use in radial DOT classes in the NMCA, NMRA, and PSCA. The tire also represented an evolution as the

company looked for a tire with better street manners than its bias-ply predecessor and could keep up with the larger-diameter, radial-tire trend.

When the ET Street Radial II was introduced in 2007, the idea was to provide a sticky radial tire with more tread void for the street and more sizes to meet the needs of cars with larger rim diameters.

These three classics will be replaced with the ET Street R and ET Street S/S.

The ET Street R (yes, R is for race) is the evolution of the original bias-ply ET Street for the guy who wanted the closest thing to a drag slick he could get and still be DOT approved. The R is available in both radial and bias-ply designs. Fast-street-car guys with an automatic transmission and rim sizes from 15 to 18 inches in diameter should look at the R2 compound radial tire for something sticky that can also be used on the street. The ET Street R bias sizes are for clutch cars that need the power-absorbing sidewall construction during 6,000-rpm clutch dumps on the starting line and Pro Street guys who need a tire as close as you can get to an ET Drag and still have a DOT stamp on the sidewall. The ET Street R comes in three different compounds: R2 on the radials, M5 on the bias 15-inch-diameter tires, and X5 on the giant 34x18.50-16s for extreme classes! The ET Street R is not a steelbelted radial, it's a race tire you can use on the street.



# Lubriplate® No. 105 Motor Assembly Grease





# It's a tradition for good reason... IT WORKS!

Lubriplate No. 105 Motor Assembly Grease has become a tradition among professional and shade tree mechanics for rebuilding engines. Why? Because it works! Lubriplate No. 105 is the premier pre-lube lubricant formulated to protect against scuffing, scoring and friction.

Lubriplate No. 105 is the original white grease specifically designed to prevent engine wear during the initial startup. Trusted by four generations of mechanics worldwide.



# Also try these other great lubricants from Lubriplate®

Chain & Cable Fluid - Penetrating Oil Spray Lube 'A' White Lithium Grease Gear Shield Extra Heavy SYNXTREME HD-2 Multi-Purpose Grease Biodegradable Penetrating Oil Multi-Purpose Lubricating Fluid



# Lubriplate® Lubricants Company


for store locations

CARQUEST.com











# **ET STREET R RADIAL**

The ET Street R radial is available in P255/50R15 all the way to P305/45R18. Use it for a fast automatic car. Like 8-second fast.

The ET Street S/S (street/strip) is for the guy who wants a street tire he can take to the racetrack. The S/S is a steel-belted radial that will fit 15- to 18-inch rim sizes. It still uses the R2 compound so it will be sticky and hook, but the stiffer carcass and improved tread pattern will handle better on the street.

These two new tires should cover the street/strip muscle-car and late-model guys who need racetrack grip. Mickey Thompson also offers the Street Comp for street-only muscle cars and the ET Drag slick for small-and big-tire, all-out, non-DOT racing. For small-tire radial racers, M/T also offers a 10.5 Pro Drag Radial and 10.5 Pro Bracket radial slick. **END** 





ET STREET S/S
The S/S stands for Street/Strip and is steel belted for more street stability. If you have a new ponycar with 18s or 20s, this is the tire to use.



PRO DRAG RADIAL

M/T also has a Pro Drag Radial for the track. It's for 10.5 radial racing.



PRO BRACKET RADIAL
The Pro Bracket Radial is a tubeless tire for the weekend bracket racer. It is designed for fast starts, low rolling resistance, and zero growth for consistent e.t.'s.



THE ORIGINAL

WISCONSIN STATE FAIR PARK 640 S. 84TH ST. **WEST ALLIS** 









- BIGGER, FASTER, OPEN AUTOCROSS
- UNDISCOVERED BUILDERS' INVITATIONAL
- MEET FREIBURGER & FINNEGAN FROM *ROADKILL*!
- CROWD FAVORITE BURNOUT COMPETITION
- LAP THE MILWAUKEE MILE
- CAR CRAFT EDITORS' CHOICE AWARDS

- MISS CAR CRAFT SUMMER NATIONALS
- CAR CRAFT MIDNIGHT DRAGS AT GREAT LAKES DRAGAWAY
- REAL STREET ELIMINATOR PRO/AM INVITATIONAL
- AND MUCH MORE



**PRESENTS** 





# PHE-REGISTRATION:

\$50 (rate expires 7/10/15) Online at CarCraft.com On-Site Registration: \$70



# VENDOR BOOTH INFO:

Contact Martha Carrasco 949.705.3135



# EVENT QUESTIONS?

Call: 310.363.4231 or email: carcraftsummernats@carcraft.com



# SPECTATOR TICKETS

Available online at CarCraft.com and on-site Advance: \$13 Day of Show: \$15

# STARTER 101

# Because There's More to a Starter Than You Realize

By John Kiewicz / Photos: John Kiewicz

Car Craft recently built a new Chevy 383 stroker that produces nearly 460 hp. While most everything on the engine was new, the original 1969-spec starter was reused. When the engine is cold, our old starter cranks without issue, but when the engine is hot, the starter struggles.


We wanted to install a new/modernstyle starter, but weren't sure what attributes were really needed. Available from the aftermarket are a variety of options, including high-torque, gearreduction, and different varieties of "mini" starters. What would be the best choice for our 10.5:1 compression ratio 383? We began our quest for knowledge with the experts at Powermaster, a company that offers a wide variety of starter styles from which to choose. We first asked them what factors one should consider when buying a starter, then moved on to discussing problems that can affect starter performance. In addition, we also spoke with American Autowire to learn of wiring issues that can affect starter operation.

Read the two Q&A sections and then follow along as **Car Craft** highlights aspects of the installation of a new Powermaster XS Torque starter. After installation, our new starter effortlessly cranked over the 383, whether the engine was cold or hot. Plus, the starter delivers a unique sound during operation that makes us smile each time the engine is fired up.

# Q&A WITH POWERMASTER PERFORMANCE

**Car Craft:** When choosing a new starter, at what point should you consider gear reduction?

**Powermaster:** There are two huge benefits to running a gear-reduction





Car Craft's new 383 stroker made use of a stock GM starter. When the engine was cold, the starter would fire the engine right up. However, when the engine was hot, the starter struggled to turn over the engine.

starter. The first benefit is that it can provide more torque for an engine with high compression, significant initial timing, or just any hard-to-start engine. The second benefit is the overall size of a gear-reduction starter. Tight header clearance, kick-out oil pans, or engine swaps where there just isn't any space can sometimes make a smaller-size gear-reduction starter necessary.

**CC:** When choosing a new starter, at what point should you consider added torque/kilowatt (kw) output?

PM: Kilowatt rating is how all electric motors are measured. The higher the kw output, the more power the motor has. That doesn't always mean that the higher the kilowatt rating, the more powerful the starter is since gear reduction is going to manipulate the end result. For instance, Powermaster's UltraTorque High Speed starter is designed for alcohol engines or engines running magnetos that need faster cranking. It has a 2.2kw rating and 3.0 hp, but is only recommend for engines with up to 15:1 compression. By comparison, the Powermaster XS Torque uses a 1.4kw, 1.8hp motor...but can crank engines with up to 18:1 compression. The different gear ratios (3.75:1 for the High Speed and 4.4:1 for the XS Torque) manipulate the power produced through the drive gear.

**CC:** When choosing a new starter, most people focus on the engine's compression ratio. Are there other important factors to consider?



The stock GM starter is bulky and comes dangerously close to touching the headers. As a result, excessive heat build-up within the steel case often generates heat-soak conditions that cause the starter to offer little cranking ability when hot.

PM: If an engine has a lot of initial ignition advance, it can make it hard for a starter to crank over an engine. With some racing engines, a timing-retard device is used during start-up. In some cases, engines with an aggressive camshaft make use of valvesprings with very high spring pressure. Such valvesprings can make it more difficult to start an engine, so a high-torque starter will be of benefit.

**CC:** With most 1960s/1970s starters fitted to Chevrolet muscle cars, what was the gear ratio used?

PM: Chevrolet used a starter with a

1:1 ratio. Chrysler was the first to use a gear-reduction starter as early as 1962. It's rumored that the gear-reduction concept was derived in the late-1940s.

**CC:** What was the approximate torque/kw output?

**PM:** GM built a 1.2kw direct-drive starter. Powermaster builds a new, OEM-style direct-drive starter with a high-torque, 1.4kw motor. Parts-store-sourced remanufactured starters can come with motors as low as 1 kw.

**CC:** Is there a difference between the amp draw of a starter when spinning

freely versus actually cranking over an engine?

**PM:** On a workbench, a starter will draw 80 to 90 amps. However, during actual start-up of an engine, a starter will draw 250 to 350 amps.

**CC:** With an OEM starter, when it gets hot, it often loses much of its cranking power. What is the reason for this?

**PM:** A major downside to many factory starters is a heat-soak issue. For GM, they are direct-drive-type motors and they generate heat soak that drives the current demand up and pushes the efficiency down. By design, a gear-reduction starter is more efficient, so it requires less current draw, which causes less heat and you get more cranking power.

CC: Are there other items to consider that affect how well a starter operates?


PM: A starter, or any electrical item for that matter, is only as good as the power it receives. We see customers upgrading a starter to remedy problems that are actually caused by the wiring.

CC: What are the major differences between your Mastertorque and XS Torque starters?

PM: The basic design of the Mastertorque and XS Torque starters is the same. They're based on the popular Nippon Denso starters and use an allaluminum body for lighter weight and to help resist heat soak. The aluminumencased solenoid and starter motor allow heat to easily dissipate from the solenoid contacts and armature. Where the two starters differ is in the gearreduction ratio. The Mastertorque starter uses a 3.25:1 ratio, while the XS Torque starter uses a 4.4:1 ratio that gives it more overall cranking torque. Both starters use Powermaster's unique Inficlock system that allows the starter to be rotated 360 degrees to clear most any obstacle.

**CC:** A gear-reduction starter turns the flywheel slower. However, with the extra torque/kw, does it speed up cranking of the engine so that it is similar in speed to a normal non-gear-reduction starter?

**PM:** Oftentimes the cranking speed difference is either nonexistent or not noticeable at all. Since a high-torque starter is working so much easier to turn over the engine, it can seem as though the cranking speed is actually faster, and in some cases, it is. Powermaster offers different gear ratios to generate either more cranking torque or faster cranking for engines that are particularly difficult to start.



In a side-by-side comparison, it is easy to see how much more compact the Powermaster starter is versus a stock GM starter.



From another angle, you can see how much smaller the Powermaster starter is. This will not only provide added clearance but also save weight.



When comparing the weight of our stock GM starter compared to a Powermaster XS Torque starter, the difference is clear. The stock starter weighs in at a hefty 21.70 pounds, while the Powermaster starter weighs just 8.85 pounds. That is a 40.8 percent weight reduction.



The Powermaster starter drive-gear assembly is not only more compact than that used on a stock starter but also features a straight- and staggered-bolt mounting system, which allows it to fit a wider variety of engines.



The Powermaster starter makes use of a more compact solenoid assembly with connection terminals that are much easier to access than those used on an OEM starter.



On a stock GM starter, the solenoid terminals are small and difficult to access. Usually located at the 12-o'clock position, the terminals are especially hard to reach when using aftermarket exhaust headers.

# When The Way Is The Right Way.

# They Say The Right Way Is Rarely The Easy Way, But Thanks To FAST™ That's All Changed With EZ-EFI® Self Tuning Electronic Fuel Injection Systems.

With two proven EZ-EFI® systems now available from FAST™, the conversion to self tuning electronic fuel injection has never been this attainable. Both systems are available for carb conversion and multi-port applications, as well as in multiple fuel system configurations to fit practically any engine/vehicle setup.

Simply hook up the unit, answer the basic questions on the included hand-held and the system tunes itself - no laptop computer or tuning experience is needed. Designed by engineers with over thirty years of performance fuel injection know-how, these systems deliver highly refined EFI technology that does all the work for you. Easily, the right way.

- 4 Injectors; Handles Up To 650 HP
- Value Priced & Easy To Install
- Multiple Kits Including Dual Quad





- 8 Injectors; Handles Up To 1200 HP
- Built-In Electronic Timing Control
- Nitrous, E85 & CAN Compatibility

# LIMITED LIFETIME WARRANTY

FAST™ offers a limited lifetime warranty on all EZ-EFI® systems, along with the industry's best technical support team should you need product advice.



# PROVEN SELF TUNING TECHNOLOGY

Easy setup, compact hardware and refined tuning logic provide an incredible driving experience and combination flexibility.



### DETAILS MAKE THE DIFFERENCE

Unlike other EFI systems, FAST™ includes every bolt and fitting needed for a hassle-free install that can be performed by the average enthusiast.



The #1 Choice In Self Tuning EFI



# **Not Sure Which System**

Scan this QR code to watch our video tutorial on selecting the right self tuning EFI system, or learn even more at our new website: www.ezefi.com.









With the new Powermaster XS Torque starter bolted into place, there is radically more clearance to nearby items, including the heat-radiating aftermarket exhaust headers.

# **Q&A WITH AMERICAN AUTOWIRE**

**Car Craft:** What are the most common issues that affect the power wire(s) used to feed a starter?

American Autowire: Undersized cables are the most common issue that we receive phone calls on. Not only is the positive cable undersized but the negative cable is as well. With an undersized cable, the proper amount of current will not be transferred to the starter. Another issue is heat. Many vehicles are running an aftermarket exhaust system that radiates more heat onto the starter wires. Over time, increased heat will greatly degrade the starter cable that will directly affect the performance of the cable...especially during hot start-up. **CC:** With regards to the starter system, how important is the ground cable in the overall mix?

**AA:** A poor ground can lead to many problems. For example, a bad ground can cause the vehicle to incorrectly ground through the easiest path that it can find...such as through the shifter cable. A general rule is to use a ground cable that is the same size as the positive cable. In addition, the ground cable should be mounted to a clean surface that does not have any rust, paint, or oil build-up.

**CC:** Are there common wiring issues when using an aftermarket starter? **AA:** If your vehicle still uses an original-style points ignition system, an aftermarket high-torque starter may cause issues. The "R" terminal on a stock starter provides a 12-volt power shot to the coil when the ignition switch is turned to the start position. Many aftermarket starters eliminate the use of an R terminal that leaves no place to connect the original wire. If you simply piggyback the original R and S wires, it

will cause the starter to cycle while the engine is running, which will cause serious damage to the flywheel and/or starter. At American Autowire, we created a solution that allows you to connect the R wire to the "S" terminal on the starter solenoid so that the coil will not lose the 12 volts of power delivered when cranking over the engine. Thus, order American Autowire's harness (PN 500997) to eliminate the R wire problem.

**CC:** Are the battery cables that American Autowire offers of better quality than the cables originally used in the 1960s/1970s?

AA: For 1955-1960 top-post battery cables, we manufacture the cables exactly to GM's OEM specifications. The cables have PVC protective insulation just as used with the original cables. Between 1961 and 1969, GM changed the battery-cable production to be a spring-ring-type battery cable. Although the American Autowire cables look the same, we have made improvements to some of the batterycable specifications. For example, if GM sized a spring-ring battery cable at 6 gauge, we manufacture the battery cable using larger 4-gauge cable. Another improvement is if the battery cable employs a secondary lead wire, then this wire has been upgraded to a GXL cross-linked wire that provides better current flow along with higher temperature resistance. During 1969, on some vehicles. GM offered a factory option for the next-generation (HD) battery that consisted of a side-poststyle battery. For this battery, 6-gauge wire was used. Again, American Autowire upgrades to a 4-gauge wire along with GXL cross-linked wire that provides better current flow along with



American Autowire's starter wires not only feature better quality copper wire and are larger gauge but also feature solder-dipped ends that generate better current transfer—and significantly improved corrosion resistance.




While an aftermarket starter offers great advantages over OEM, if the power supply isn't adequate, then problems will still exist. Thus, we upgraded to new power and ground wires from American Autowire. The wires are larger gauge and are constructed of higher-quality copper wire to better transfer electrical current.

higher temperature resistance. CC: How do American Autowire battery cables compare to cables commonly found at auto-parts stores? AA: Many auto-parts stores offer lower-quality cables that are not built to the original factory specifications. One example of this is the factory spring-ring ends fitted to certain 1969-and-later GM models. In addition, most parts-store cables are offered in universal lengths fitted with universal lug ends. The battery cables offered by American Autowire are built to the original service specs using OEM-spec tooling. In addition, compared to OEM cables, most of our cables use thicker stranded wires that are constructed of a higher-quality copper. Plus, many of our battery cables have the ends dipped in solder for better current transfer and improved corrosion resistance. END

# **→SOURCES**

American Autowire; 800/482-9473; AmericanAutowire.com
Powermaster Performance;
630/957-4019;
PowermasterMotorsports.com



# LUNATI' BOOTLEGGER CAMSHAFTS GIVE YOU THE MUSCLE FOR YOUR OUTLAW STREAK.

This aggressive series of cams is designed for hot rodders who play by their own rules. Building on technology from the popular Voodoo® Series, Bootlegger Camshafts are the most powerful street cams we've ever produced.

With a 108 lobe separation angle and a 104 intake centerline, this extremely aggressive design provides tons of low- and mid-range power – perfect for back road adventures and stoplight-to-stoplight performance. When dyno-tested, Bootlegger Cams provided proven gains of up to 40 hp depending on the engine combination. Offering the best mash-up of today's design advancements and old-school attitude, these are the perfect cams for harnessing your outlaw spirit.







#BOOTLEGGER • BOOTLEGGERCAMS.COM • 662.892.1500

DOWNLOAD THE APP! 🎏 🧰 🦠





# **ASK ANYTHING**



# **CRANK OR CAM, WHICH GOES IN FIRST?**

Dave Shepherd; via CarCraft@ carcraft.com: Why do almost all engine-building articles, including some TV shows, show the cam being installed with the crank in place. I have built racing and stock engines for many years and always put the cam in first to facilitate guiding it through the bearings. Thanks—Dave Shepherd, former NHRA record holder, 1964 Plymouth Belvedere Max Wedge.

Steve Magnante: You pose an interesting question. As an automotive journalist and hot rodder, I have observed, performed, and been directly involved with about 100 cam-in-block inline-four and -six, V4 (early Saab/ Ford Taunus), V6, V8, and V10 (Viper) engine builds in my career. I have only witnessed one instance where the crank was installed after the cam. I'll get to that in a second. I'm guessing the majority of engine builders have a subconscious tendency to want to empty the workbench of the largest items first, then work their way down to the smaller bits (in the mechanically correct sequence, of course). So it's in with the crank before all else, since it's the largest item. Let's also remember that most engine assemblies begin with the bare block positioned upsidedown on the engine stand. Once the rotating assembly is in place, that's when most guys flip it over (crankcase down) to address the cam and top-end assembly. Another reason is cleanliness. A cam smothered in moly assembly lube, STP, and so on is a messy thing that loves to attract small debris, while simultaneously dripping and smearing lube on anything that makes contact. It also looks ill-defined and out of place in photographs and

on video, where everything else is surgically clean. Also, there might be a subliminal neurosis that the cam could come loose during all of the flipping and rotating of the engine on the stand during assembly. Those are my guesses. Back to that singular instance where the cam went in first: the engine was a Ford 292, a so-called Y-block. First introduced in 1954 at 239 ci (but soon to grow to 256, 272, 292, and eventually 312 ci) the Y-block was Ford's first "modern" OHV V8 engine of the post-WWII era. It was a major step forward compared to the mouthbreathing 1932-1953 flathead, but its use of mushroom-type valve lifters absolutely mandates their installation before the crank meets the block. In fact, the lifters must go in before the cam, which traps them. There is simply no other way to install stock Ford Y-block lifters. Naturally, this makes incar cam swaps an impossibility for 1955-1957 T-bird performance enthusiasts as well as owners of other Y-block-powered Ford and Mercury cars and trucks. Getting back to your practice of installing the cam before the crank, could it be an outgrowth of your NHRA Stock Class racing experience? You guys have to exploit the rule book and often run razor's-edge combinations that require extra scrutiny. Maybe that's where you became conditioned to the cam-first technique? I'm guessing you spent a lot of time making sure those Max Wedge camshafts began turning if an ant walked onto the lobe. But, yes, I can see the benefit of being able to observe cam installation to assure against bearing and lobe damage. I'll try your technique on my next engine build—as long as it isn't a Ford Y-block.

In between a Lincoln V12 (similar to Ford Flathead V8) lifter and Ford 302 lifter on the right, the Y-block's unique mushroomtype tappet is revealed. The small-diameter lifter boss slips into equally small bores machined in the Y-block. Once the cam slides in, the lifters are trapped and cannot be removed. This architecture explains why all Y-block engines have adjustable rocker arms. Hydraulic lifter componentry (plungers, springs, check balls, and so on) simply won't fit within the oddball lifters. The Y-block has a devoted fan base, but its lack of serious naturally aspirated power potential is not disputed. Passenger-car production ended after 1962.

# 351 CLEVELAND OILING SYSTEM CONCERNS

Ray Busuttil; via CarCraft@

carcraft.com: I have read so many articles on fixing oiling problems on the Cleveland motor, and I am confused! Some articles install lifter bushings on just the right-side gallery. Some say install them on both sides. Some articles say use oil restrictors in the cam-bearing gallerys. Some say use a 100-psi oil-pump spring, some say don't. Some run an external oil line from front to back. I give up! My car is a 1985 Mustang with a 377-cid Cleveland. It's got Chevy rods, Wiseco pistons, Weiand tunnel ram with two 750-cfm carbs, stock closed-chamber heads that are filled, a 4.30 spool, an MSD, and so on. Last September I broke the crank in four places at 7,800 rpm and took out the last two mains. It was a stock crank. The car ran a best of 9.76 at 140. Please help!

Steve Magnante: You didn't tell us how long your engine combo lasted, but 7,800 rpm from a stock 351C crank is nothing to sneeze at. Let's remember, with the exception of the forged steel 1969/1970 Boss 302 crank, all 221-302 Windsors, 351 Windsors, 351 Clevelands (that's you, Ray), 351M, and 400M engines were factory delivered with cast-iron cranks of marginal strength in high-rpm builds like yours. That it broke into three chunks sounds more like a harmonics/balance issue than an oiling-system flaw. If the main bearings weren't blue and spun, I'd say the crank gave up the ghost due to an imbalance that became critical at your peak engine speed. You are correct about the 351C benefitting from oil mods. The stock circuit feeds the





# **ASK ANYTHING**



The 1971 edition of the "Petersen Complete Book of Engines" reveals this shot of how Los Angeles-based engine builder Marvin MacAffe whipped up a main oil-line connection hose on his 8,000-rpm SCCA Formula A-bound Boss 302 mill. The 351 Cleveland is similar.

cam first, then the mains, resulting in starved No. 4 and No. 5 main and rod bearings at sustained, high-rpm use (above 4.500 rpm). As you infer, the time-honored solution is to run an external line from the oil-pressure-gauge sending unit fitting rearward to the oil-gallery plug situated at the top of the block (on the flat section between the back of the intake manifold and bellhousing mating surface). Bushed lifter bores certainly are effective at boosting oil presence at the mains, but they mandate the use of solid lifters, which I'm sure your 7,000-plus-rpm mill was running. Going further, some Cleveland builders add an external line to the back of the block that connects the rearward end of the driver-side oil gallery to the camshaft-feed gallery. An outgrowth of the original SCCA Boss 302 factory race effort, this (outwardly invisible) modification involves about 10 inches of flexible. braided hose and some AN fittings and tucks between the back of the block and the spinning flexplate/flywheel (see photo). This approach splits the main oil line. Now, pressurized oil feeds the mains from both ends. effectively ending diminished supply at the No. 4 and No. 5 iournals.


Another cause of oil starvation is poor drain back. The stock Ford small-block has four drain holes cast into the center of the lifter valley. With a high-volume pump and inadequate oil-pan capacity, it is very possible to suck the oil pan nearly dry with prolonged, full-throttle use. Careful scrutiny

of the bare block will reveal three more locations where you can drill 1/2-inch holes for extra drainage. Naturally, all edges should be chamfered for optimum flow. And speaking of oil pressure, the scheme of running 50-weight oil and a 100-psi pump is obsolete. Thick oil drains slowly, the oilpump driveshaft gets a workout, and the power needed to circulate heavy oil saps more energy than most folks realize. The days of the "10-psi-per-1,000-rpm" motto are over. Thanks to svnthetic oil, advances in bearing material, the advent of anti-friction coatings, and improved oil systems, some racers are turning 9,000 rpm with a mere 40 psi! Naturally, the entire engine must be set up with the proper bearing and wall clearances, and ring material and precision machine work is vital. Part of the modern. low-viscosity strategy is the freedom to run tighter bearing clearances. Because the thinner oil flows more freely, 0.003-inch clearances can be cut down to 0.002 inch, which delivers higher average and low-rpm oil pressure. I applaud your use of budget-oriented parts—like the nodular iron crank, but its eventual failure reveals the stark fact the part doesn't last as long as it does when higher-quality parts are mixed in from the start. The 351 Cleveland may have only been in production for four brief years (1970-1974), but its high-flow, canted valve heads are still a valid horsepower maker—as your 9.76/140-mph timeslip proves.

# MECHANICAL MARVEL

# How the Odd Couple Top Gas Dragster married a blown whale and a blown mouse with a bracelet!

Though it's generally proven that the extra weight of a second engine cancels the power advantage during a standing-start, quarter-mile sprint to the finish line, decades ago a few courageous Top Gas dragster teams tilted their swords toward the appropriate windmills and charged! Spurred by the NHRA's 1957–1962 ban on nitromethane, Top Gas



# UPGIZADE IT! SuperCoils deliver up to 15% more spark energy for maximum performance, economy, and throttle response. ACCEL accel-ignition.com



# **ASK ANYTHING**



Is the Chrysler pushing the Chevy or is the Chevy pulling the Chrysler? Perfect alignment of the engine mounts was car-builder Ken Theis' top priority, behind that was keeping them both happy and in tune. Any hiccup or stumble was immediately felt by the partner engine.

rose up as an alternative to Top Fuel and was an active class through 1972 when it was merged into Competition Eliminator, a glorified bracket race with handicap starts. But during its prime, the NHRA rule book didn't restrict how many engines could be used in the same Top Gas car. Though John Peters' twin-Chevypowered Freight Train is the most famous and successful, more than a dozen race teams built 16-cylinder dragsters for Top Gas battle. Of them, Ken Theis' Odd Couple was the most outrageous for its pairing of a Chevy smallblock and an early Chrysler Hemi in the same lanky chassis. Think about it—car driver Walt Stevens' right foot simultaneously controlled a 600hp, 398ci Chevy mouse and an 800hp, 466ci whale, both engines running at the exact same 8,500 rpm through the traps. They'd better be, or you've got big problems. Synchronized throttle action was provided by a single-pedal Hydra-Link hydraulic linkage unit, while a simple "bracelet" made from a foot-long section of double-row timing chain firmly coupled to a pair of 6-inch-diameter steel sprockets—one on the snout of the Chrysler crank, the other on the tail of the Chevy crank. A simple master link allowed removal of the chain and full separation of the engines for service. The Chevy wasn't equipped with a flywheel, though a beefy, 50-pound, solid-steel flywheel bolted to the back of the Chrysler crank fed the combined 1,400 hp to a custom Shiefer multi-disc, double-floater clutch, and Mopar



Here, Theis holds the simple doublerow chain to show off the twin sprockets. The notch taken from the Chrysler's bottom blower-belt pulley was added to ease master-link installation and removal.

83/4 rear axle with a Detroit Locker and 4.56 cogs. The Odd Couple was a frequent sight at Bakersfield and Pomona in the 1969-1971 period where it eliminated all Top Gas competition at the 1971 NHRA Winternationals with a 7.58/198.28-mph pass and ran 7.61/193.96 at The Smokers meet in Bakersfield. OK, who's gonna be first with a modern-day interpretation of the Odd Couple concept for the street? Let's stuff a ZR1 Corvette/Hellcat Hemi mashup in the snout/front seat of McGann's Cutlass!



With the master link in place, both engines are coupled "till death do us part." By all accounts, the Odd Couple was a fierce competitor on the Top Gas circuit. Remember that all-iron Chrysler "whale" weighed close to 1,000 pounds—a half-ton—decked out with its Bowers 6-71 supercharger. The smaller Chevy tipped the scales at a more reasonable 580 pounds, also with a Bowers-prepped 6-71 huffer. These were the days before the ready availability of aluminum blocks and

# ASK ANYTHING— WE'VE GOT SOLUTIONS!

CarCraft@CarCraft.com CarCraft.com Car Craft Mag 831 S. Douglas St. El Segundo, CA 90245



# **THIS GUY'S GARAGE**

# PACIFIC FABRICATION / Gilrov, CA

Pacific Fabrication began as an endeavor that owner Kevin Stearns started working out of his home garage. Gaining a reputation for quality custom work, he started the official business more than 10 years ago in a 3,500-sq-ft shop in Morgan Hill, California, a small town about an hour south of San Francisco, specializing in metal fab, custom-built sandrails and off-road trucks, muscle-car restorations, and LS engine swaps. Until about a year ago, Kevin's business has grown exclusively by word of mouth from happy customers, enough to necessitate hiring a staff and moving the business into a 10,000-sq-ft building in nearby Gilroy, California. In the current location, business is booming. In addition to building cars and trucks, PacFab also manufactures parts and components for facilitating LS engine swaps under the name of Tilden Motorsports. These parts include custom-built wiring harnesses, drop-in cooling modules (a TIG-welded aluminum radiator, fans, and a shroud), sheetmetal oil pans and transmission pans with skidplates, fuel systems, and lowmileage, take-out LS engines sold complete and ready to drop into the restomod of your choice. The prices are great too. We decided to take the trip up north to see the operation for ourselves. Check them out at PacificFabrication.com.

This 1966 Mustang is in for general maintenance work. PacFab employee Walter Weightman told us they offer this service because it keeps owners of performance cars from having to rely on general repair shops for maintenance that may not be familiar with aftermarket parts on older cars.

By John McGann / Photo: John McGann



The 1969 Camaro convertible is a car the owner brought to PacFab to fix some poorly done work by another shop. "The only remaining parts of the original car are the quarter-panels and the rear seatback frame," Kevin told us. They found acres of bondo, chicken wire, and nasty welds everywhere else, all of which was cut out and replaced. Cool restomod parts include a full Speedtech suspension, an LS2/T56 drivetrain, and "big-ass" Rushforth wheels.

plete restoration.

The 1971 Chevy C10 cab belongs to a

pickup on Craigslist. It's in for a com-

customer who found his dad's old



# HIGHEST QUALITY



1/2" DRIVE 25" BREAKER BAR

PITTSBURGHEE

LOT NO. 67933/60819

**SAVE** 41%



LIMIT 1 - Save 20% on any one item purchased at our stores Harborfreightchom or by calling 900-423-2567. Cannot be used to other discount, coupon, gift cards, Inside Track Club members extended service plans or on any of the following: compress generators, tool storage or carts, welders, floor jacks, flowable Ride-Trencher, Saw Mill (Item 6171:PC26366/7136), Predator Gas Pov

# **How Does Harbor Freight Sell GREAT QUALITY Tools** at the LOWEST Prices?

We have invested millions of dollars in our own state-of-the-art quality test labs and millions more in our factories, so our tools will go toe-to-toe with the top professional brands. And we can sell them for a fraction of the price because we cut out the middle man and pass the savings on to you. It's just that simple! Come visit one of our 550 Stores Nationwide.













240 VOLT INVERTER PLASMA CUTTER WITH DIGITAL DISPLAY

LOT NO. 60767/95136


REG. PRICE \$899.99













350 LB. CAPACITY SERVICE CART WITH LOCKING DRAWER US\*GENERAL LOT NO. 90428 61161

# LOWEST PRICES EVERYDAY



# **550 Stores Nationwide**

RETRACTABLE

AIR HOSE REEL WITH 3/8" x 50 FT. HOSE



**PORTABLE** 

CAR CANOPY











LOT NO. 90984/60405

Item 90984 shown REG. PRICE \$19.99







350 lb. STEP STOOL/ Capacity WORKING PLATFORM

66911/62515

Item 66911 shown

REG. PRICE \$34.99

ADJUSTABLE SHADE

AUTO-DARKENING WELDING HELMET

















LOT NO. 46092/61611

- 100% Satisfaction Guaranteed No Hassle Return Policy
- Over 25 Million Satisfied Customers
   Lifetime Warranty on All Hand Tools
- 550 Stores Nationwide
  - HarborFreight.com 800-423-2567

# **ZEDSLED:**THE SUSPENSION EDITION

# How to Rebuild the Front Suspension of a Second-Gen Camaro

By Kevin Tetz / Photos: Kevin Tetz

Car Craft's ZedSled 1978 Z28 Camaro was in extremely rough condition, which was why we were able to buy it so cheaply: \$1,300 and we drove it onto the trailer to get it home. Not bad! So far we've spent \$750 on sheetmetal. \$1.400 on the Junkyard LS engine and cam upgrades, \$240 on some DSE chassis improvements, and roughly \$110 on some Eastwood coatings to prevent rust on the original sheetmetal. At this stage, we're into this tub for a little less than \$4,000. By the time it's all done, hopefully, we won't be upsidedown and will have a great car to beat on. Truthfully, ZedSled should have been a parts car, but it was all there, it

was a true Z, and it is solid enough to bring it into this century with some performance upgrades.

Now that it's rust-free, we can pay some much-needed attention to the chassis. Plans for power include a salvage-yard, iron-block 6.0 LQ4 out of a wrecked truck, backed by a used 4L80E automatic transmission. With the potential of 500 naturally aspirated horsepower easily in reach, the rest of the car had to be brought up to the new level of performance. Classic Performance Products offers very well-designed systems for many different vehicle platforms, but we're particularly excited about the company's Stage III Pro Touring kit for second-gen F-body

Camaros.

Everything on ZedSled is worn out, and let's face it, technology has left 1978 in the rearview mirror, so we're upgrading everything with CPP's Pro Touring system. We decided to add the 500-series close-ratio steering box, along with C-5 Corvette 13-inch brakes up front, 12-inch discs out back, redesigned antiroll bars, and a much-needed lowered ride height (3 inches in front, 2 inches out back) with QA-1 singleadjustable shocks all the way around. Yes, it's bolt-on, but it will make this car hold its own with the cool kids in the Pro Touring world—for a fraction of the money a full custom suspension costs.





This is the stock suspension sitting in the ZedSled graveyard. It is totally worn out in every way. It could be rebuilt, but would cost a lot, especially when you figure in labor, and we wouldn't have tubular arms, a bigger sway bar, urethane bushings, and especially not Corvette brakes.



The stock subframe was smoothed and finished with Eastwood fillers, primers, and Rat Rod Flat clear over black base. We're installing the urethane engine mounts now since access to fasteners is a challenge with the control arms in place.



CPP designed its own spindles to morph the late-model C-5 hubs into the F-body unequal-length, A-arm system. Here we're applying antisieze to the Torrington bearing that sits under the coil spring so it's easier to adjust under load.



With the coil spring seated on the shock adjuster, a ratchet strap works great for compressing the spring enough to thread the top nut onto the shock stud. This will hold the lower arm in place by itself for now.



An acrylic hammer is your friend when attempting to "persuade" bolts into freshly painted parts. CPP uses all Grade 8 hardware for attachments.



We're installing the upper arms without shims for now. The alignment shop will make those adjustments later.




Carefully loosening the strap allows you to adjust the arms enough to get the upright into place when you're working by yourself. Even though it's not much pressure, make sure to use a quality strap that's not frayed anywhere.



Here's the new billet tie-rod adjuster, complete with jamb nuts on either side, which will make alignments much easier.







The colossal 13-inch Corvette rotors slip over the C-5 hubs before the calipers are attached. Note: You'll be switching to an M12 thread size with the new hubs, so make sure you have the correct lug nuts if you're doing this swap.



Love driving your classic? No problem. Hagerty's flexible usage limits give you the freedom to take the long way home, no odometer readings required.

877.922.3403 | LOCAL AGENT | HAGERTY.COM

HAGERTY CLASSIC CAR INSURANCE

Hagerty determines final risk acceptance. All coverage is subject to policy provisions and availability. Hagerty is a registered trademark of The Hagerty Group, LLC© 2014 The Hagerty Group, LLC.



The twin-piston Calipers come with thread locker on the bolts. If you are just mocking the parts up prior to final installation, be sure to reapply Loctite on your final assembly.



The 500-series steering box replaces the sloppy stock unit. These have a 14:1 ratio, are made with all-new parts, and utilize the original-style pitman arm, which we're replacing as well.




The center link is the only part from the original steering system we're reusing, because there's really nothing to wear out and it wasn't bent. We blasted it and sprayed on a coat of paint so it matches the rest of the parts.



The antiroll bar (sway bar) is larger diameter than stock and features urethane bushings and anodized billet mounts that are serviceable through a grease fitting.



The endlinks are urethane as well, and the sway bar alone would improve chassis stiffness as a stand-alone upgrade. The mounts install easily into the stock mounting points.



# AMERICAN MUSCLE

DIRECT FIT GAUGE KITS







Complete kits include gauges, direct fit panel, wiring harness and sending units

Easy, no cut installation allows you to preserve the interior of your classic

Period correct look and exceptional build quality

Auto Meter's legendary accuracy and durabilty

Best in class customer service and support



### AVAILABLE FOR

Barracuda

Blazer

Camaro

Challenger

Charger

Chevelle

Chevy/GMCTruck

Dart

Demon

Duster

El Camino

Firebird GTX

Malibu

Monte Carlo

Nova

Roadrunner

Satellite

Suburban Valiant

autometer.com








Swapping to DSE's stock-height, solid-body mount kit was a no-brainer. There's no loss in comfort, and we're after rigidity that can't be achieved with rubber isolators.




The subframe is snugged up, but not totally torqued down until we can verify that it's square on the body.

A cross measurement as well as a reading front to rear is necessary to make sure the subframe is not misaligned. It's critical that you check this, especially if you're welding in subframe connectors. Correcting a dog-tracking problem is a pain with the frame welded in! With the subframe parallel and square, all four body bolts are run in tightly.





We had previously mocked up the subframe and installed the DSE frame connectors into the floors-now we can grind the paint off the frame stubs and connector ends for welding.



The end caps are welded in first, followed by the side braces. Magnets are your second set of hands that never get burned.



5 days 5 tracks 1200 miles

Mike Burroughs



8 class champions run Gear Vendors Overdrives



When you want to run 2500hp on the street
Gear Vendors are the only overdrives to consider.
Guaranteed even when racing they are
the strongest overdrive you can buy.



Jon Wisch Curt Johnson

Gear Vendors Inc. 1717 N Magnolia Ave, El Cajon, CA 92020 <a href="www.gearvendors.com">www.gearvendors.com</a> Call us at 800-999-9555 U.S. and get the details of your fitment.



It may not look like it, but with the smallish nozzle of Eastwood's MIG 175, we have enough clearance above the connector to weld the top seams.

#### **WHAT'S NEXT?**

All that's left to do is make it pretty! We can either go with the bedliner that's on the underside or use Eastwood's Chassis Black to blend into the subframe. Either way will look good, and the improvement in performance is guaranteed to make all the persnickety work worthwhile. We'll address the rear suspension and the peg-leg rear axle soon. We're not getting rid of the 10-bolt, though; there are plenty of guys throwing tons of power at them, so we'll show you how we upgraded ours to hold up to the new LS power and throw on the rest of the Stage III Pro Touring kit from CPP. END



The side caps are burned in on each side of both frame connectors. DSE has clear instructions and a cool DVD that shows you how to do this installation on whatever vehicle you have.



#### **→SOURCES**

Classic Performance Products; 714/522-2000; Classic Perform.com

**Eastwood;** 800/343 9353; Eastwood.com

Detroit Speed Inc.; 704/662.3272; DetroitSpeed.com



FOLLOW US ON:





©2015 EDELBROCK, LLC







**OFFER VALID FROM APRIL 1 UNTIL MAY 31, 2015** FOR MORE INFORMATION VISIT EDELBROCK.COM

FREE CATALOGS: 800-386-8326 • TECH LINE: 800-416-8628, 7am-5pm PST. M-F. ALL PARTS LEGAL FOR USE ON PRE-POLLUTION CONTROLLED VEHICLES ONLY.





















- √ Reliably Low Prices
  √ Easy To Use Website
- √ Huge Selection
- √ Fast Shipping

www.rockauto.com



# GPS SPEEDOMETERS AND ELECTRIC GAUGES FOR ANY CAR

By Douglas R. Glad / Photos: Douglas R. Glad

Do you even look to see if the speedometer works when you buy an old car? When we shop for something built in the 1960s or 1970s, we assume the speedo needle winged off into the night or the cable is wrapped around the driveshaft. To be honest, we'd given up on factory speedos and learned the

dark art of gear ratios versus rpm math to estimate speed: (mph = rpm  $\times$  tire diameter / gear ratio  $\times$  336).


Now, thanks to computer geeks and the military, you don't need to figure out the math, fix your cable, or mess with the speedometer gears, because companies like Speedhut have GPS speedometers that are smaller, lighter, and faster than anything you can cobble together from a late model in the junkyard. They also have electronic, full-sweep gauges that watch all your critical engine functions in any color or design you can dream up. We caught up with Aaron Westberg from Speedhut and Shannon Hudson from Redline Gauge Works to show us how it works.








In 1971, the Dodge Demon and Plymouth Duster were available with either the standard or rallye dash. The standard gauge panel (shown) only fits Darts and Dusters without the factory rallye dash option. This and panels with alternate gauge arrangements are available from Redline Gauge Works.



eliminates the brackets, washers, and tiny nuts we've all dropped behind the dash during installation.



# SHOW STOPPING SMOOTH CRUISING DEPENDANCE



- GIVES YOUR CLASSIC THE PERFORMANCE OF A LATE MODEL
- BOLTS IN PLACE OF YOUR CURRENT CARB
- SIMPLE INSTALL ONLY 8 CONNECTIONS
  - DITCH THE TUNER SELF-LEARNING
  - CAPABLE OF CONTROLLING IGNITION TIMING
    - RUNNING BOOST OR HITROUS? WE HAVE YOU COVERED




MSDPERFORMANCE.COM TECH LINE: (915) 855-7123





The crown jewel of the Demon goodies is this  $3\frac{1}{6}$ -inch boost gauge, illustrating what can be done with custom gauge panels. Speedhut offers gauges from  $2\frac{1}{16}$  to  $5\frac{1}{2}$  inches, so it is possible to mix and match sizes to get what you want. We asked for a 30-pound range, the larger size, and the look and colors. The LED is for a light that can be set for high and low warning, and day and night brightness.

The boost gauge reads a transducer that needs to see manifold pressure. We mounted ours at the outlet of the compressor housing on the turbo, where it only sees boost.



The wiring is deadsimple. All the connectors can be chained together in no particular order and hooked to both 12v constant and switched power. The yellow wires with white connectors are for the sensors that use standard industry voltage ranges and Packard Metri-Pack connectors. The black connectors with the black, red, and white wires are for lights, constant power, and ground. The hot wire is shown on the back of the GPS speedometer.

The inverter converts DC voltage to AC and uses electroluminescence to light up a thin plate behind the gauge face. This makes the lighting uniform and controllable with a dimmer.







PERFORMANCE PRESENTS

CITIES AR SHOWS MILES ENTHUSIASTS

FACEBOOK.COM/HOTRODMAG TWITTER: @NOTRODMAGAZINE O INSTAGRAM: HOTRODMAGAZINE

HOTROD.com

DRIVEN BY

**Ontinental** 

Madison, WI Alliant Energy Center

7**TH** Champaign, IL Parkland College

JUNE 8TH Madison, IL (St. Louis) Gateway Motorsports Park

Memphis, TN Memphis International Raceway

10TH Hoover, AL Hoover Metropolitan **Stadium** TANKS MARKET

JUNE 11 TH Gulfport, MS Centennial Plaza

JUNE 12TH Baton Rouge, LA Lamar Dixon Expo (enter

OFFICIAL HOT ROD HOTEL RESERVATON:

travelplanners.net or 410.349.3000

VENDOR ROOTH INFO:

Contact Martha Carrasco 949.705.3135

**EVENT** QUESTIONS?

Call: 310.363.4231 or email: powertour@hotrod.com

Early registration ends May 23, 2015



CO-SPONSOR Ontinental's





OFFICIAL PRODUCT SPONSOR American

Racing DEFICIAL WHELS

CHANSPORT. OFFICIAL TRANSPORT

OFFICIAL CAR AUDIO DIFFICIAL SUPERCHARGER

CRUISE NIGHT SPONSORS

NICK-SIT SPONSOR (MADISSA, WI)

(MADESON, IL)

COMP

PRAILE SPORTSON (BATTON BOUSE, LA)







The water gauge can go up to 3% inches and comes with a % NPT sender (and a % adapter), a lighting inverter, and wiring. The button controls the high/low settings on the warning light.



The oil pressure gauge comes with a transducer, wiring, and has both a high- and low-pressure warning light.



The fuel gauge is programmable for any sending unit. If you have an odd sending unit that doesn't use 0-90, 0-30 ohms or aftermarket 240-33 ohms, you can manually set the gauge at empty and full by using the button on the front. The needle movement uses a stepper motor and is slowed to prevent waving from sloshing fuel.



The volt gauge hooks to the battery or alternator for the signal. It works the same as the others with a high- and low-warning light.



Your muscle car used either mechanical or air core gauges from the factory. New gauges use stepper motors that have internal gears and circuit boards. This technology allows control of total sweep, the speed and stability of the sweep (like on a fuel gauge, where you want the movement to be slow and smooth as the pickup moves around), and the calibration for different sending units and applications. The gauges can also use a signal from a CAN bus (like an LS swap). Any information you can pull from the OBD port can be used to create a gauge using Speedhut's Freedom line.

Below: The tachs and speedometers use a 240-degree sweep. All other gauges are available in 90–270 degree sweeps. You can have any font, any color, any style of hash (tic) marks, custom logos printed on the face, and a selection of pointers. The gauges are all backlight through dial, so each digit and tic light up as well. The pointer uses an LED, so you can change the color to white, red, or blue. The blue ones look white in the day and blue at night, the red looks red all the time, and white can be white, red, or blue at night. There are a crop of pointers, so go to the website. For what is called the opening ceremony, you can program any and all of the gauges to either sweep to zero then to the reading or sweep from zero, to full scale, then back to the reading, just to show off a little bit. All

gauges are made in Orem, Utah, and have a five-year warranty on mechanical bits and a lifetime warranty on the electronics inside the gauge. If there is a warranty issue, Speedhut will send you the newest gauge as a replacement. **END** 

#### **→SOURCES**


**Redline Gauge Works;** 661/259-8891;

RedlineGaugeWorks.com

Speedhut; 801/221-1468; Speedhut.com



# i in rformance



### C5 SPINDLE WHEEL BRAKE KIT

Direct bolt on for Camaro and Nova (Nova & early Camaro kit uses original or CPP replacement steering arms). Utilizing a C5 bearing hub assembly. Also, utilizes C5 brakes or aftermarket afternatives (a direct fit for Baer, Brembo, and Wilwood C5 applications). The early AFX body tall spindle helps with improved geometry by giving a better camber change during suspension movement and also maintains the drum brake offset. Includes 13" rotors with dual piston C5 caliper stock height spindle. The second generation Camaro spindle is the first of its kind, and exclusive to CPP.

KITS UTILIZE A 13" ROTOR & REDUIRE & MINIMUM 17" WHEEL

Complete Wheel Kit - starting at \$649/kit

Spindles only - \$269/pr



components bolt directly to your frame. C-10 Chevy Truck, Chevelle, Camaro, or Nova.

and 1955-57 Chevy Fullsize Box- starting at '379 rea 1958-'64 Chevy Fullsize Box- starting at '419/ea



ASK FOR IT BY NAME! HYDRASTOP™ HYDRAULIC ASSIST UNITS AND SYSTEMS

Powerful, compact units put out over 1800 P.S.I. of brake assist using the vehicles power steering system. Bare Units are Hydraulic Assist only. Master cylinder and hoses are included with complete system. Basic Units- starting at \*469 isa

Complete Systems- starting at \*829 kit FOR LS1, LS2, LS3 & LS6



CALTRACS TRACTION BARS

For your Camaro, Nova, Firebird and more.

CALVERT Kits - starting at '339 kit



coil-over shocks, specially designed conical springs and all mounting hardware starting at '439 kit



**ENGINE INSTALL KITS** 



**5.DRIVE** starting at SERPENTINE '1850/kit Pulley Drive SYSTEMS

Available for small block, big block and LS Chevrolets and for small block Ford. S.drive System without Air Conditioning, System without Power Steering or Complete System with A/C and Power Steering, and alternator.



#### REAR COIL-OVER CONVERSION KIT

You can now get a complete suspension makeover for both ends of the vehicle

ADJUSTABLE RIDE HEIGHT FROM 1"-7" LOWER FOR YOUR 1964-72 CHEVELLE

NEW! Single Adjustable-starting at '569'kir Double Adjustable-starting at '729'kir



For all LS based and Vortec motors, Includes POLYPLUS" mounts



starting at 129/kit





Stainless steel adjusting tilt columns in 28°, 30°, 32° and 33° Stainless steel adjusting till columns in 20, 50, 50, 50 and shift lengths and plain, chrome and black finishes. Key and shift Ask for it by NAME! columns also available.



COMPLETE FRONT AND **REAR BIG BRAKE KITS** These CPP Kits include front and

rear rotors, front and rear loaded calipers, hoses, front bearing and seals, front and rear mounting brack-ets, forged aluminum hubs, with a 4-wheel master cylinder, a proportioning valve kit and all necessary hardware.

> starting at 1498/kit



CLASSIC FIT EFI™ ORIGINAL STYLE FUEL TANKS PUMPS AND SENDING UNITS

These are original-fit tanks and require no modifications to mount. Available for 55-57 Chevy, 62-67 Nova, 64-72 Chevelle, 67-69 Camaro and more! Straps included

Tanks Starting at \$229/ea #FPK-FI Fuel Pump Kit \$220/kit Sending Units Only Starting at \$49/ea




**CURRIE CRATE REAR ENDS** 

SPLINE AXLES Ready-built, available with the same high quality parts used in Currie custom-built rearends. ngs have all the original bracketry.

starting at '1129/kit

HEAVY DUTY 31



#### get our BRAND NEW *CATALOG!*

Prices subject to change without no-tice. Please note that kits and prices may vary between certain applications.



#### CLASSIC PERFORMANCE PRODUCTS INC.



714-522-2000 FAX 714-522-2500 www.classicperform.com

























WHITE WITH A RED INTERIOR...

THAT'S
WHAT I WAS
HOPING... EVER
HEAR OF A
O. DART?


























All AFR heads come standard with: Lightweight bead lock 8mm valves that reduce valve float (Big Block Chevy has conventional 11/32 hardware), Premium Pacaloy racing valve springs, 100% Fully 5 axis CNC ported, 3/4" thick head deck, Viton oil seals (not cheap Poly Acrylic) and hardened Chrome Moly spring seats, not just shims. Includes adjustable guide plates for perfect rocker arm alignment.

Call for details. AFR heads only.

✓220cc SBF Flows 340 CFM ✓245cc LSX Flows 360 CFM ✓245cc SBC Flows 350 CFM ✓385cc BBC Flows 456 CFM

#### 20° SB-FORD 185cc 95HP Gain

Over GT-40X Windsor Head



180cc 80HP Gain Over L-98 Head

#### 15° SB-CHEVY

285cc Flows 400 CFM

#### 15° LS-1

210cc 40HP Gain Over LS-1 Stock Head

### 24° BB-CHEVY

315cc 100+HP Gain **Over Factory LS-6 Head** 

10 lbs lighter runs 30° cooler



888-544-1175

www.airflowresearch.com Visit our website for a free catalog & decals

MADE IN US

# Unweather your trim and plastic.



Make your exterior trim and plastics stand out with Mothers® Back-to-Black® care products.

mothers.com • detailquide.com facebook.com/mothersusa

Mothers® Back-to-Black® Heavy Duty Trim Cleaner Kit. It's not a cover up. It deep cleans, allowing you to erase years of neglect, including oxidation, dirt, road grime and even stubborn embedded wax. Restoring your exterior trim and textured plastics to their original, like-new color (not just black) has never been easier.









Mothers® Back-to-Black® Trim & Plastic Restorer. The original Back-to-Black® formula people know and trust. It removes light oxidation, dirt, wax residue and surface film with ease, while locking

in the richness and protecting from future damage. For severely neglected surfaces, first use Mothers® Back-to-Black® Heavy Duty Trim Cleaner.




Pour restorer onto a dry terry cloth or sponge.



Massage into surface then buff for brilliant results.





hy 10 seconds? Hot Rod and Car Craft recently rented the dragstrip at California Speedway in Fontana, California. Hot Rod was there testing a pair of new Hellcat Challengers. We brought our

Project Demon and invited several local racers to show up as well, and the turnout was a veritable who's who of some of the fastest street cars in Southern California. Averaged out, the e.t.'s of all the cars there would be in the low-10s.

In addition, the phrase "10 seconds or less" was used in the original *The Fast and the Furious* movie as a benchmark of what's considered a fast street car. Whether or not you're a fan of the *F&F* movie franchise, several engine and car



builders we've known have posited that that infamous line was inspiration for the current generation of their customers. "Whether or not they know what it means, people come in asking us to build them a 10-second car," one of the

car builders recently told us. While it's easy to make the power, you can't build a car that runs 10s simply by slapping parts together. For those who want to know, here are some recipes to follow. As a bonus, we included some cars that

are a little faster than 10s. What you won't find is any fluff, crap, or anything not needed to go fast. Yes, it's expensive to build a car this quick, but careful planning, shopping, and some DIY can get you there without overspending.



#### **DONNIE HUGHETT**

King Donnie, "The Alameda Kid," is a legend in Southern California who's been racing as long as he's been driving a car. He's got stories of racing a Vega at Brotherhood Raceway at Terminal Island while it was still open. After the Vega, he raced a small-blockpowered Chevette with a shot of nitrous. That car almost killed him in a crash that left him with a plate in his arm, pins in a femur, and nearly paralyzed from the waist down, but he was back in a car making 9-second passes at LA County Raceway (before it closed, too) weeks sooner than doctors predicted he'd even be walking.

Donnie has owned this 1964 Chevrolet Nova for more than 10 years, and, yes, it runs a lot faster than 10s. "It's a money pit," Donnie said. "I just wanted a 10-second car when I bought it. It was a shell [at the time], but the previous owner said it used to run 10s." The car wasn't quite as street- or trackready as Donnie was led to believe. "The steering wheel would barely turn. I eventually had to replace the front end of the car," Donnie said. He also had to rebuild the rollcage, which is now certified to 8.50s. His biggest problem now is dialing back the power so he can hook up at the track. He's making about 900 hp at the rear wheels with a 400ci small-block. Starting with a ProComp block, the combination consists of an RPM International crankshaft, Eagle connecting rods, and RaceTech pistons. With the addition of AFR's 227 cylinder heads, the compression ratio is 11.8:1. The heads were ported, but only flow about 312 cfm. Donnie said he could have had them worked over for more high-lift flow, but didn't want to sacrifice their strong mid-lift flow he thinks makes the

combination work so well. The cam is an Isky solid-roller that's customground to Donnie's specs. A 1,050-cfm Holley Dominator carburetor is perched on a Wilson-modified Dart single-plane intake manifold and a 20-year-old NOS Cheater plate system is sandwiched between. Donnie adds about 200 hp with the nitrous kit, dialing the tune-up in with an NOS Time Based Progressive Controller, which allows him to gradually add nitrous from 0-100 percent duty cycle over as many as 10 seconds from when he first launches the car. Normally, he has the system set to launch the car with about 25-30 percent nitrous off the line, increasing to 100 percent within 3 seconds of the launch. In his last outing at Irwindale, Donnie had to dial the nitrous back to about 10 percent off the line and 4 seconds duration, because he was doing too big of a wheelstand with his normal settings.

That's an interesting problem to have, huh? Donnie mused that he may need to put wheelie bars on the car soon. "I did a 300-foot wheelie at Irwindale, and I was mad. I had to get out of it and only ran a 6.14 [in the eighth-mile]." That time roughly converts to 10.12 in the quarter-mile, which is easily 1 second off what the Nova is capable of running. "The car has run high-8s—and should go faster. It's hard to make a clean pass," Donnie said. At our track day in Fontana, Donnie pulled a huge wheelie and ran 8.95 at 147 mph.

The rest of the drivetrain consists of a Powerglide transmission and Moser 9-inch with 4.30:1 gears on a spool. Those cool fenderwell headers are from Stahl. The 17/8-inch primary tubes lead to 3-inch collectors and on to a





3-inch system with Dynomax Race Bullet mufflers.

During the week, Donnie is an engine builder and technician at Superior Automotive Engineering, a performance shop in Placentia, California. He's worked there for 15 years and continues to work out of his homelike he's always done—building engines, rollcages, and doing custom installs. His Nova was supposed to appear in Furious 7 doing a wheelie while racing one of the movie's regular characters, but the scene got cut before they could film it. It's believed studio executives didn't want to risk a possible injury on the set, especially so close to the death of Paul Walker. TMZ even did a report on the scene, complete with a picture of Donnie's Nova. though it was misidentified as a Chevelle

# Race Proven





The Wilwood Workhorse

You're in complete control with the power and precision of Wilwood. Unsurpassed engineering and testing so you can own the road.




Power. Control. Precision. സാ.**ഗയധിധാ**ധധ

Designed, Tested, and Manufactured in the USA







Not quite as fast—but much more streetable—is Gypsy Ronnie Marks' 2011 Mustang. Take away the stickers and lightweight wheels, and you'd





never guess this car has run a best so far of 9.02 at 159 mph. Ronnie's also a longtime racer who's owned a string of Mustangs, mostly Fox bodies, throughout the years. He bought this car new from Galpin Ford in Van Nuys, California, specifically to use it as a foundation to build a 9-second (and maybe faster) daily driver. He initially added an F1 Procharger, which snapped the stock crankshaft snout in short order. prompting him to switch to turbochargers as his power-adder of choice. Addiction Motorsports in Canoga Park, California, took over the build, adding a forged rotating assembly to the shortblock, and building the plumbing for a pair of Precision PT6266 turbochargers. They push 18 psi into the engine through the stock intake manifold and stock cylinder heads and camshafts. The compression ratio is 11.0:1. Josh Deeds of Deeds Performance in Chatsworth. California. built the heatexchanger system to keep the intake charge as cool as possible. Deeds Performance also built the headers. MSD's Programmable Turbo Launch Boost



#### JAMES AND TESS DESRAT


We've been hearing rumors of a mysterious Ford up in the desert area of northern Los Angeles County driven by a woman who never lifts, no matter how badly the car gets out of the groove. We snooped around to discover this budget-built 1973 Ford Maverick owned by James "Turbie" DeSrat and his wife. Tess. James built and tunes the car and Tess is the driver. James had actually been building the car for someone else who lost interest and let him keep the car. The engine is a 302 out of a Fox-body Mustang with the stock rotating assembly. He added a pair of out-of-the-box Trick Flow 170



Controller regulates the wastegate to keep boost at precise levels from staging and launch through to the finish line.

Interestingly, the stock 6R80 automatic transmission can be programmed in a way that makes the transmission operate as if it had a transbrake installed. You'll need to take it to a tuner to make this happen, and we are currently investigating what's involved with this job, so stay tuned for more info. Ronnie will be having his car reprogrammed by Addition Motorsports soon, and with the electronic transbrake feature programmed into the transmission, he's hoping to cut some time from his current best 1.49 60-foot time, and expects to drop overall e.t.'s into the 8.50s. The car's 8.8 rear axle was rebuilt at Manny's Hardcore Performance with 3.31:1 gears and 33-spline axles. Carlin Fabrications built the roll bar, and his Mustang weighs in at a chunky 3,900 pounds with him in it. making the car's performance that much more impressive. The suspension is stock, with the exception of a quartet of Viking shocks: single-adjustable in the front, and double-adjustable in the rear. Ronnie told us his goal was to build an 8-second daily driver, and we suspect he will have achieved that goal by the time you read this.

heads and Trick Flow's stage-one hydraulic roller cam, a Victor, Jr. intake, and a Holley 750 Double Pumper modified for blowthrough applications by Kevin at Carburetor Solutions Unlimited. Vortech's S-Trim supercharger delivers about 8 psi of boost, and instead of an intercooler. James injects nitrous right at the supercharger's outlet. Out of a fully charged bottle, nitrous temperatures hover around -127 degrees Fahrenheit, enough to act as a chemical intercooler in this application. The C4 transmission was built by James and Darren at ProTrans with a 4,500-stall









Ford 8-inch with stock axles and 4.11:1 gears in the stock differential with a mini-spool installed. James installed Calvert Racing Split Monoleaf springs and Cal Tracs bars with 9-way adjustable rear shocks. MSD's 6AL2 programmable ignition box adjusts timing with a boost-retarding table that James can program using a MAP sensor. The rev limiter is set at 7,400 rpm, and Tess generally shifts at 7,200 rpm. Fuel is provided by Holley's 170-gph mechanical fuel pump. James made the exhaust system out of aluminum, saying it was 60 pounds lighter than an equivalent system made from mild steel.

The Maverick recently made 590 hp at the rear wheels, and Tess' best pass so far is a 6.58 at 105 mph in the eighth-mile. At our track day, the tuneup was a bit off and she was running in the 11s, but the car is capable of low-10s. James is a self-taught mechanic and is the lead technician at Lancaster Sierra Toyota. Tess is a home health aide, and she used to drive the Maverick to her patients' houses every day. She told us about driving some poor 93-year-old lady to play bingo, nearly sending her to an early grave. "She had her eyes closed the whole time!" Tess said.







#### **ЛЕНО СОТА**

Here's a combination we expect to see more of, because S10s are so cheap and readily available. Meno and his brother, Jorge, built this truck at home, and Car Craft ran an article about it a while ago. Not much has changed since then, and they are still fine-tuning it, but the little truck has the potential for easy 10s in the guarter-mile. Buy yourself a cheap truck, drop in a decent V8, and go fast.

#### **LALO MOJARRO**

Lalo's twin-turbo Fox body ran in Car Craft's April 2014 issue, so we won't devote too much space on it here. Basically, it's a twin-turbocharged, smallblock Ford that we were told was a stroked 302 with ported Trick Flow heads. The engine is force-fed by a pair of 72mm Turbonetics turbochargers, and power gets through the ground via a 3,200-stall Continental torque converter, a Mike's Transmission Powerglide, and an 8.8 with a spool. Check out the wheels-up launch, which is unusual for a turbo car. At our track day, Lalo ran 9.22 at 121 mph. Compare that time with Gypsy Ronnie's 9.29 at 143 mph, and it appears as though Lalo may have been holding back a bit. We suspect his Mustang is a solid mid- to low-8-second ride that is still totally streetable.











# OVVICOVEI upload - design - onden



Looking for a personalized gift for almost any occasion?

My Own Cover magazine covers are perfect for birthday gifts, holiday gifts, corporate recognitions, or celebrating a milestone. Each magazine cover is as unique as the person on the cover.


- · Upload your own photos
- Design great personalized covers
- · Order prints to share or give as gifts

Create your own magazine cover and be a star.

www.myowncover.com







Joe Lopez has been racing all his life, so it's no surprise that his children inherited the enthusiasm and passion for the hobby. Joe owns the 1979 Malibu wagon in these pictures, and it's one of nine race cars he currently owns. His 24-year-old son, Joshua, owns the yellow 1972 Camaro, and 22-year-old daughter Joanna owns the black and silver 1971 Camaro. Joe bought the Malibu as an \$1,800 rolling chassis. He dropped in an 11.0:1 350 with World Products heads, an Isky Mega280 cam, a Victor Jr. intake. and a 600-cfm Holley carburetor. The transmission is a TH350 with a 3,500-stall converter, and the rear is a 7.5-inch with 4.65:1 gears and an Eaton Posi. He runs a

small shot of nitrous, about 150 hp, which gets the car to about 11.20 e.t.'s in the guarter-mile.

The 1971 Camaro was Joanna's daily driver for several years while she attended classes at Citrus College and the University of LaVerne. Joe built an 8.0:1 383 with a Weiand 177 supercharger and a custom-ground cam from American Cam. The specs are similar to Isky's 305. The rotating assembly consists of an Eagle crank and rods and Probe pistons. The Pro Comp cylinder heads were built by Larry's Performance in Montebello, California, and the Holley 750 HP carburetor was built by The Carb Shop in Ontario, California. A TH350 and stock GM

12-bolt propel the car to 11.50 in the quarter, and the car is all steel except for the fiberglass hood. A set of Cal Tracs traction bars control wheelhop, and Koni shocks are on all four corners.

Josh's 1972 Camaro was a more recent build. Josh built the 406-inch small-block starting with a 0.030-over 400 engine block. It's got a Scat crank and rods, Probe pistons, and Pro Comp heads. The compression ratio is 10.0:1. The cam is an Isky solid flat-tappet grind and Josh installed a nitrous kit, but it and the completely stock suspension need some tuning before he's able to make a clean pass. On the motor, the car has run 11.70 with a TH350 transmission.









### FORTINO SANCHEZ

Fortino showed up to our track day with a combination we expect to see plenty more of: a 6.0 LS engine with a turbocharger swapped into his 1991 Mustang. The engine is a 100,000-mile LY6 out of a 2008 Chevy 2500 pickup, and all he did to it was swap in an LS9 cam and valvesprings. The turbocharger is an 80mm Garrett he bought used from a friend, and he built the turbo plumbing with a pair of inexpensive LS1 headers facing forward and a CSX Racing intercooler. A Holley Twin Pump fuel pump draws from a Summit Racing fuel cell and feeds Bosch 102gph fuel injectors. Tom at Izzy Performance tuned the stock GM ECM with HP Tuners software. and Turbosmart's e-Boost2 electronic boost controller allows him to ramp in overall boost throughout the duration of his pass. Steve Sharp built the TH350 transmission with a 10-inch Continental 3,500-stall torque converter, and his 8.8 rear axle was built with Strange 35-spline axles, a C-clip eliminator kit, and 3.31:1 gears on a spool. The front K-member was replaced with one from AJE Racing, and UPR trailing arms and Viking coilovers are out back. The car's gone as fast as 9.0 at 151 mph, and Fortino is still finetuning the car with his sights on mid-8s. EN





## MORE LIFT MORE POWER

#### TWO OPTIONS FOR UNMATCHED DURABILITY & POWER



Making big horsepower requires better rocker arms. As the turning point in the valve train they are one of the most important, and most vulnerable components. Deflection at high-RPM robs power, increases wear and can lead to engine failure. Redesigned Ultra Pro Magnum™ Rockers offer 8650 chromemoly construction with hardened roller tips and oversized trunnions. For all-out performance and reliability, Ultra-Gold™ ARC Aluminum Rockers were developed to revolutionize valve train technology.

#### Ultra-Gold™ ARC Aluminum Roller Rocker Arms


CNC-machined Arched, Recessed and Contoured design improves valve spring and cover clearances while reducing weight and increasing strength. Designed for high performance street and race engines.

- Arched design with channel & contoured top give best strength-to-weight ratio
- Precision-sorted trunnion bearing withstands aggressive valve spring pressure & valve lift
- 3 Oil passages for valve & spring tip lubrication

#### Ultra Pro Magnum™ Roller Rocker Arms

Heat-treated chromemoly steel in a modern web-like construction increases strength and rigidity while still reducing the moment of inertia. Clears larger springs and retainers and the black oxide exterior resists corrosion.

- Provide increased strength & reduced weight
- Oversized trunnions & precision-sorted needle bearings for durability
- Hardened roller tips reduce wear & distribute loads for longer life





Engineered To Finish First.





### **Eddie Holbrook's Turbocharged 1967 Camaro**

afety is a big concern when you're dealing with four-digit horsepower in a street-car application, but it's cool to see a scary-fast car that somehow gets past the rule books and angry tech officials. We're not talking about a Pro Mod without a rollcage but a stock-bodied, stock-interior muscle car that packs too much power for its own good. This is that type of car. Eddie Holbrook is the owner, and he built

the car at his home garage with the help of several friends. It's a first-generation Camaro, so it probably isn't the first one of these you've seen at the dragstrip or on the street. However, it might be the first one you've seen with a 5-inch hole cut in the front fender to allow the massive exhaust pipe to exit the car. The exhaust is from an 88mm turbocharger, which feeds a bored-and-stroked LS engine with



about 20 pounds of boost. This street car means business, and he's only scratched the surface of this car's potential at its first outing: the Holley LS Fest in Bowling Green, Kentucky.

Eddie has been drag racing the car for a couple years, but tried a new setup at LS Fest. He actually won the Hillbilly Arm Drop Drags (held at Combs Airport near Eddie's hometown of Prestonsburg, Kentucky) with this car, but decided to step up the game with more horsepower. Most of Eddie's hometown dragstrips are relaxed on safety inspection, which has allowed him to sneak under the radar. His car doesn't have a rollbar, which would get him kicked out of the majority of tracks in the country. But he successfully made several passes at Beech Bend Raceway during LS Fest



without anyone running him off. Even with a few hiccups, the car still ran a 10.29 at 142 mph in the heat of the day! He's almost to the point of needing a parachute by NHRA rules (150 mph)—this is one fast street car.

If Eddie plans to continue running at bigger events like LS Fest, he'll obviously have to install a rollcage and lots of other safety equipment to get it through tech. Somehow, he squeaked by this time around, but probably won't be so lucky next time. Regardless of its lack of safety equipment, this Camaro is a king on the street and fairs pretty well at the track too.









www.competitionproducts.com

MON-THUR 8AM - 10PM CST / FRI-SAT 8AM - 6PM CST

## FREE SHIPPING **NATIONWIDE**





### **LOWEST PRICE GUARANTEE**

We will meet or beat any advertised price.



#### Fragola Fuel Filters

Top Quality • 40 Micron 100 Micron • 2" and 3" Diameter 6AN, 10AN

Fragola elements feature more pleats, which means more area and in turn, better flowing filters. Fragola in-line filters have the most surface area per inch than any other filter elements in the industry. CNC machined, billet alum housing with black anodizing for protection. O-ring for positive sealing in high pressure

Unmatched fuel flow starts at only \$28.95

#### Holley

#### All-Aluminum Vacuum **Secondary** Carb



New all-aluminum versions of Holley's favorite traditional carburetors. All the same features with about 40% less weight. They also hold their shine longer. Adjustable needles and seats, dual inlet vstyle bowls. Manual choke.

750cfm



#### Hydraulic Flat Tappet Cams and Lifters

From pioneers in drag racing and oval track cams to cutting edge marine development, Howards Cams is at the forefront of the camshaft industry. From mild to aggressive, Howards is your answer.

Cams at ......\$109.95



Premium SAE 1144 billet steel machined on state-of-the-art CNC equipment. Ensures consistent quality and eliminates the dreaded "run out" found on inferior products. Sets include a 9-keyway crank sprocket along with a .250" diameter True® Roller chain.

Starts at .





Each pump is installed with a combination of heavly-duty integral ball bearings and high strength roller bearings to withstand higher loads. Custom CNC machined impellers for max flow. Chevy, Ford.

\$62.95 Performance starts



#### Wiseco Pro Tru Street **Forged Pistons**

State-of-the-art quality minus the cost. Featuring forged 4032 aluminum with a forged dome and valve pockets. Precision finished pin bores with pin oilers. Armor-Glide™ skirt coating. Sets of 8.

Chev SB 350, 383, 400 Ford SB, 302, 351W, 393W \$396.99



#### Plasma Moly Race Rings

Designed to make more horse-Designed to make more norse-power and last longer. Top rings are made from virtually unbreakable, high strenght ductile iron with a plasma moly facing for instant seatng and long life.

1/16, 1/16, 3/16......at \$114.99 5/64, 5/64, 3/16 .....at \$121.99



Oil Pan Gaskets Molded silicone gaskets have a steel core to handle the most extreme conditions. Great for high vacuum appli-

cations. Torque limiters to eliminate fastener over tightening. Made in the USA

Chev SB ('75-'85) ...... \$26.99 Chev SB ('65-'90) ...... \$29.99 Chev BB (Gen 5/6) ..... \$27.99



#### **Balanced Street Performance Rotating Assemblies**

The perfect balance of performance, reliability, and affordability. These kits come completely bal-anced and ready for assembly.

Eagle Cast Steel Crank • Eagle SIR I-Beam • Speed Pro Hypereutectic Pistons • Plasma Moly rings • Clevite77 Performance Rod and Main Bearings

Chev SB 350...... \$619.95 Chev SB 383...... \$765.95 Chev SB 400 ..... \$849.95 Chev BB 454...... \$999.95 Ford SB 347...... \$979.95 Chrys SB 360 ..... \$1099.95



#### **Hurricane Intakes**

Designed for all out racing applications. Has been proven in dyno tests to be the best overall performing intake of this type.

Chev SB at ..... \$185.95

Some parts are not legal for sale or use in California on any pollution controlled motor vehicle.

Actual prices may vary from publication date.



ZEX™ builds the most advanced, easiest to install plate nitrous systems on the market. With a host of exclusive safety features and patented design technologies, you can rest assured that ZEX™ nitrous systems deliver maximum performance and value.

#### NITROUS SYSTEMS

- Sq. Flange (4150)
- Dominator (4500)
- Dual Plate
- High HP Race

Plate conversion kits available.



#### **COLOR OPTIONS**

**Purple • Blackout** 





ZEX™ manufacturers a full line of nitrous accessories such as our new Digital Nitrous Level Gauge, Bottle Heaters and much more.



**WWW.ZEX.COM** 888.817.100*8* 

Join Us: 🜃 💟 🛅



















WE ALL WANT BETTER PERFORMANCE. And now you can get there with a K&N° High-Flow Air Filter," designed to increase horsepower with up to 50% more airflow. Order yours online, spend five minutes under the hood and you're good to go.

KNFILTERS.COM | 800-858-3333



ı



#### **TECH NOTES**

Who: Eddie Holbrook What: 1967 Camaro Where: Prestonsburg, KY

Engine: Eddie started with a 6.0L truck engine and replaced the original rotating assembly with an Eagle crankshaft with a 4-inch stroke, Eagle H-beam connecting rods, and Wiseco forged pistons. The longer stroke and 0.030-inch oversized cylinders create a 408. The cylinder heads are GM 317 castings, which feature Lunati valvesprings and Comp Cams pushrods to support the custom-grind Brian Tooley Racing camshaft under serious loads of boost. Speaking of which, the boredand-stroked LS engine features a Forced Induction Fi88x turbocharger, pushing 20 pounds of boost into a CSU blow-through carburetor and Edelbrock Victor Jr. intake manifold. An Aeromotive boost-referenced fuel system provides a steady flow of 93-octane pump gas to the engine, while an MSD 6010 ignition box provides the spark.

**Transmission:** Behind the 408 is a TH400 automatic transmission, which is built to withstand some serious abuse. Transferring horsepower into motivation is the job of a Freak Show torque converter, which stalls to 3.400 rpm.

**Rearend:** A 9-inch rearend housing is narrowed just enough to stuff a set of 10-inch-wide wheels under the back of the car, and it features a back brace for extra strength. The housing is packed with a Strange spool, Quick Perfor-



mance axles, and a 3.25:1 gearset. Suspension: Although it looks pretty tame from the top, Eddie's Camaro has a bunch of awesome parts underneath. It all starts with a Martz Chassis front subframe, which comes out of the box with adjustable coilovers, adjustable tubular control arms, and rack-and-pinion steering. Out back, the suspension consists of Detroit Speed lowering leaf springs, with Calvert Racing CalTracs and Competition Engineering shocks to help tame the suspension actions. Stock-style disc brakes roll up front, while lightweight Aerospace discs are fitted to the rear end.

Wheels/Tires: Rolling stock for Eddie's Camaro consists of 15x3½-2 and 15x10-inch Champion wheels. The skinny fronts mount to a pair of Mickey Thompson Sportsman 26x7.50-15 tires, while the bead-locked rear wheels mount to Mickey Thompson 275/60R15 drag radials.

Paint/Body: Aside from the 5-inch hole in the factory GM front fender, the body panels on Eddie's Camaro are mostly stock. The grille and some of the trim has been blacked out and the front bumper has been removed all together. Behind the grille, you'll see the 88mm turbocharger, as well as the air-to-air intercooler. You'll also notice an oval-shaped hole in the hood, which is necessary to clear the CSU carb hat and turbo piping. The only additions to the rear portion of the body are a few extra pounds of rubber, thanks to plenty of quality time in the burnout




box. In case you didn't notice, Eddie's Camaro also has a pretty slick Hugger Orange paint job with white Super Sport stripes.

**Interior:** The inside of Eddie's 1967 Camaro doesn't look like your typical 9-second car. It has stock bucket seats, no rollbar whatsoever, and a Simpson two-point lap belt. Eddie snuck past the tech guys at Beech Bend and rarely gets any grief from his local track, Mountain Park Dragway in Clay City, KY. The interior is finished nicely with a selection of Auto Meter gauges inside a carbon-fiber insert, as well as a radiodelete center dash panel. A leatherwrapped billet steering wheel offers a bit of comfort in this mostly stock environment, while the TCI Outlaw shifter is all business.


Performance: At Eddie's hometown tracks, eighth-mile racing is the norm, and his best elapsed time before the newest round of upgrades was a 6.40. That equates to high 9s in the quarter. With the new setup, it didn't spool the massive 88mm turbo until about 100 feet down track and still managed a 10.29 at 142 mph. There is no doubt this car has low 9s in it, but Eddie will likely stay with the local eighth-mile racing and see if he can get it in the 5s.











888.292.1250 NERGYSUSPENSION.COM

## By Jason Sands / **Photos: Jason Sands**

#### Testing a Livernois Motorsports tuned CTS-Vsport

hen we first heard of Cadillac's 2015 CTS Vsport, it sounded like some sort of gimmick to drum up sales. How could it possibly live up to any V designation with the 580hp CTS-V also in the model lineup? Trust us, it did. This thing is fast. Remember the legendary Buick Grand National? This time, GM has brought back turbo V6 power with the new Vsport, and we were even able to get our hands on a pumped-up version, which had been modified with a 93-octane-only Livernois Motorsports tune that bumps peak boost from 14 psi to 18.

How fast is it? Well, after some practice, we ran a 12.75 at 112 mph with two guys, a full tank of fuel, and about 100

pounds lighter than we were at) believable. Moreover, we were just running normal street tires, and a 2.02-second 60-foot time was the best we could squeeze out of it without wheelhop or John Force burnouts.

Based on the times we were running at the track, we wanted to verify its horsepower numbers, so we took the car to Boosted Tuning in Chico, California. Specializing in Evos, the guys at Boosted were eager to put the domestic Caddy on the rollers, and eyebrows were raised when the numbers popped up. Stock, the Vsport puts down about 350-360 hp to the wheels, so we were pretty happy when 392 rwhp came up on the screen, along with 401 lb-ft of

torque. That's not the whole story, however. The reason the Vsport feels so fast is due to the fact that it made 350 lb-ft of torque as low as 3,000 rpm. With a shift point of 6,500 rpm, there was virtually no point in the powerband that the V6 wasn't making steam.

Overall, we were impressed with the car's capability, especially considering it can pull more than 0.95 g on a skidpad and regularly knock down fueleconomy numbers of 25-30 mpg. While other muscle cars like the ZL1 Camaro or Shelby Mustang might grab most of the headlines, we're proud to report that the Vsport brings V6 performance back in a big way. END














MORE INFO Boosted Tuning; 530/897-0828; Boosted Tuning.com Livernois Motorsports; 313/561-5500; Livernois Motorsports.com

## JUNKYARD CRAWL

#### **Trawling Local Junkyards and Scoring Big**

he Pick Your Part in Monrovia, California, has cemented its status as our favorite junkyard in Southern California. It simply has the best variety of old and not-so-old

By John McGann / Photos: John McGann

collection of cars ripe for the picking, whereas other area yards seem to only be filling themselves with newer front-drive cars that are useless to us. Check out the latest findings from a recent trip.



Somewhere under all those hoses and ducting is a 351 Windsor waiting for a rebuild and a new home. Follow **Car Craft**'s recent 351W build recipe for an easy 590 hp, as seen in the June 2015 issue.



Near the white pickup with the Windsor was this black 1992-ish F-150 work truck with a 302 and M50D five-speed. These transmissions were originally built by Mazda and are based on the lighter-duty version found in the Ford Ranger and Mazda B2200. SmartPartsAuto.com has some interesting information on these transmissions, claiming they are a viable swap into MN112 Thunderbirds and Cougars (1989–1997).
























Nothing could be salvaged from this 1990s Suburban that was so thoroughly burned it seemed as if it had been done on purpose. The windshield had melted to the window frame and the aluminum A/C condenser had melted. We Googled it—aluminum melts at just over 1,200 degrees Fahrenheit.





Our big score came when we stumbled upon this mint 1979 Oldsmobile Cutlass. It was so clean, we wondered what it was doing in the junkyard. We didn't ponder its fate too long, however, before we began snatching its intact bumper fillers. We also grabbed the taillights, rear valance, and one of the outside rearview mirrors—all of which are destined for our project 1980 Cutlass drag car.

#### **→SOURCE**

**LKQ Pick Your Part Monrovia;** 800/962-2277; LKQPickYourPart.com









## WTF? (WHERE'S THE FUN?)



#### WTF? (WHERE'S THE FALCON?)

**Who:** Charlie Schryver **What:** 1964 Falcon post **Where:** Daphne, AL

Why: "To go against the grain by building and running the engine most throw away when they build a Falcon," Charlie explained. "The little bird retains most of the usual throw-away parts: four-lug suspension, bench seat, 71/4-inch rear end. But the questions and funny looks start when I pull into the cruise-ins with the lope at idle then pop the hood. Even most of the seasoned car guys swear it sounds like a V8 at idle." It's got a 1979 200ci inline block, 9.0:1 compression, plus Clifford dual-outlet header and dual 2-inch turbo mufflers. Its best time so far has been 10.29 at 62 mph in the eighth-mile in 90-degree weather.



## America Inc.

## MicroCut 301 Plasma Cutter



- Slices sheet metal. aluminum, steel plate up to 5/16"
- Inverter plasma cutter, weighs just 14 lbs.
- Customer Service
- Technical Support
- 90-Day Money-Back Guarantee

One Source for all your welding needs.

Call for our FREE Catalog 800-USA-WELD · www.USAWeld.com



FREE SHIPPING ON ALL ORDERS OVER \$35



## Widers Done Right!

From The Leader In Wiper Technology For Over 25 Years



- Heavy Duty 2-Speed Self-Parking Motor
- New Replacement Motors Install Into Factory Wiper Mounts
- Clean Wipe Kits Replace Single Motor Applications
- Replacement Rotary Switch
- All Applications 12-Volt
- Three Year Guarantee
- Intermittent Controls Optiona




We have remained the most respected name in windshield wiper upgrade kits because wipers are our first and only business! Whether you drive your classic vehicle every day or only to events, having a modern multi-speed or variable-speed electric drive wiper system is a great convenience and a real safety improvement as well.

*800-829-1929* 

Call us today to discuss your needs.

www.newportwipers.com







#### WTF?



### FIRST, DO NO FARM

Who: Jim Baskin What: 1936 Chevy truck Where: Hilltown, PA

Why: Dave Rihl sent this pic of his neighbor, friend, and fulltime farmer Jim Baskin with his Chevy truck. Turns out Jim used to race Bill "Grumpy" Jenkins in the early days. The truck has a 350 Chevy mill with Edelbrock intake and heads, a four-barrel Edelbrock carb. rack-and-pinion steering, and a fuel cell Jim built. "He loves coming over and doing burnouts for the kids in the neighborhood," Dave said.

### →SEND STUFF TO CAR CRAFT!

We need more pictures of Burnouts, please. While you're at it, send any of your compliments, complaints, random musings, or pet pictures to us. Here's how:

email: CarCraft@carcraft.com online: CarCraft.com social media: Facebook.com/

CarCraftMag

mail: 831 S. Douglas St., El Segundo, CA 90245 don't forget: Include your

make/model of car and your city/state.

disclaimer: If you can't write a complete sentence, don't worry, we will make your work comprehensible. That includes making up stuff we thought vou meant.



#### OBLIGATORY MUSTANG BEAUTY SHOT

This strangely romantic pic came from the new Bulletproof Mustang club out of Texas. These are some of the Houston Metropolitan crew's Mustangs lined up at Galveston's seawall, and in the background is the famous Pleasure Pier.

#### **SORRY NOT SORRY**

I'm a little late sending this, but I about fell over when I saw three Pontiacs in your magazine! Holy crap, that has to be a record for you guys! I would still like to see an affordable 455 Pontiac build for an 11-second street car. I love the magazine and will keep subscribing even though you ram Chevys down everyone's throat. Great tech articles, pics, and Q&A, infused with a sense of humor. I have a 1969 GTO, so I'm obviously a huge BOP fan. Thanks and keep it up! -Chris DeForce, via email

Chevy medicine is good for you, like most medicine rammed down the throat.

#### 1972 VENTURA HATERS BE HATIN'

After reading your description of the Ventura, I am changing my vote. Scrap that rusted-out POS—it's too far gone.

—Mark Simendinger, via email

## GEODY PARTS HARD TO FIND?

Don't settle for poor quality replacement parts...

#### GBody Parts, LLC is your one stop source for all your GBody needs!

From header panels to LED taillights, GBP is your complete source for quality original, performance, reproduction parts and service for your GBody. At GBP, we have been manufacturing hard to find items for Chevrolet, Buick, Olds and Pontiac for over 15 years and have quickly become the most inclusive supplier of quality aftermarket parts for your GBody car. We have many new upcoming parts for your GBody in the works. Visit our online store at GBodyParts.com for a 15,000+selection of everything GBody.





GBP is the exclusive manufacturer of these GN aluminum rims featured in GM High Tech Magazinel Also available are Monte Carlo SS aluminum rims, custom GNX Style rims, Custom H/O 442 rims plus many more styles.



New—81-88 Hurst/Olds Cutlass 442 front license tag bracket. Also available—78-83 Mallbu tag pocket, 78-87 El Camino rear license tag pocket.



81-87 Buick Regal GN quarter panel patch set, 81-88 Monte Carlo patch panel set. Also available—GBody door skin patches, quarter panels, wheel housings, sail panels and more.



81-88 Oldsmobile Cutlass doors, 81-87 Buick Regal doors, 78-87 El Camino/ Malibu doors, 81-85 Monte Carlo doors and more.



Coming Soon-GBody B-Pillars



Replace your old, cracked faded bumper fillers with GBP's exclusive GM original style front or rear sets. Many GBody styles also available for Cutlass, El Camino, Grand Prix and



New—78-88 Buick Olds reproduction center and lower section console Set. Consoles also available for your GBody Monte Carlo, Malibu and El Camino.



New—Grand National steel cowl hood. Coming soon—81-88 Cutlass 442 H/O steel cowl hood. Monte Carlo, El Camino, Malibu hoods also available.



Coming Soon—another GBP exclusive. 81-87 Bulck Regal Grand National trunk lid.



GBP has the most extensive lighting selection for your GBody Chevrolet, Buick, Olds and Pontiac.

Dealer inquiries welcome

## **GBodyParts.com**

7207 CC S MAIN STREET • BETHEL, NC 27812 • 252-825-3293 • SALES@GBODYPARTS.COM

## Hotrods to Hell



Center Drive, Truck Arm Systems, and Full Suspension Kits from Small to Big!

#### NASCAR HANDLING & A CADDY RIDE

World's Fastest Open Road Suspension Systems

Unparalleled cornering ability, a plush ride you won't believe, and at the drags this set up hooks hard and goes straight.

(530) 365 - 6561 www.hotrodstohell.net

## IN THE NEWS

#### DUDE + 51 YEARS + T-BIRD PART IN HIS ARM

Arthur Lampitt, age 75, crashed his 1963 Ford Thunderbird into a truck about 51 years ago, and over the years assumed a medical instrument had been left in his arm, according to Huffington Post. However, during recent surgery, it was revealed to actually be a 7-inch turn signal lever from his T-bird stuck in there all these years.

#### **WELDING APP**

You can now have welding-process fundamentals at the ready, aka on your person, aka via your iPhone or iPad, thanks to Miller. The new welding app covers MIG, TIG, and stick welding, and includes positioning, arc starting methods, troubleshooting, system requirements, definitions of things, and electrode selection. Even better, it's free. Go to the app store.





#### MUSTANG: THE MOST POPULAR PASSWORD?

SplashData's deal is that it specializes in password management—and so it managed to learn that "Mustang" is the 16th most common password being used on the Internet, making it more popular than "Superman" or "Batman." But less popular than "Password"?

#### **CHEVYS WIN AWARDS**

Kelley Blue Book has decided the Camaro and Corvette are among the Chevy offerings that should be deemed Best Resale Value award-winners. The Camaro has scored this award four consecutive years, while the Corvette has taken the High Performance category two years running. The focus is on vehicles that retain their value during the first five years of ownership.



#### **SEND SMOKE!**

If we can do this, you can too. Send BURNOUT!! Photos to 831 S. Douglas St., El Segundo, CA 90245 or email it to CarCraft@carcraft.com with a single photo size of at least 1 MB. Then you will live forever.

## **BURNOUT!!**



"This is my wife Darlene's 1978 Silverado that I built her for her 62nd birthday. This is what she asked me for."

—Dave Luton via email



**50%** OFF ....

3 FREE DVDs

FREE Shipping

Adult Products & Novelties adamandeve.com

> Also valid at participating Adam & Eve stores. Certain items not available for discount.



All the benefits of Quick-Connect technology, without the valves

- No tools
- No stripping
- No over-tightening
- · No forgetting to tighten fittings





#### CAR OVERHEATING?

YOU NEED THE BEST COOLING RADIATOR WE'VE EVER TESTED:

Triple-cooling technology reduces water temps up to 24°F over standard radiators!




## **DIFFERENCE:**

- Driver side inlet and passenger side outlet-Chevy OEM style
- ✓ TIG-welded aluminum core & tanks-assures a leak-free unit
- ✓ LS Compatible **OEM Steam Port**
- S.S. Drain Plug
- Universal Mount



3X THE CIRCULATION **3X THE COOLING 3X THE EFFICIENCY** 

## RUN 168-180°F ALL DAY, EVEN IN TRAFFIC!



#### ALL RADIATORS ARE 19"h x 2.2" thick & AVAILABLE IN 3 WIDTHS:

Item #20150 22"w for Street Rods Item #20151 25.5"w for Muscle Cars Item #20152 27.5"w for Full Size Cars/Trucks

For More Information:



#### eastwood.com/cool5 or call **800-343-9353**


\*Enter source code CC715 before checking out. Expires 7/31/2015. Other exclusions apply. †Free shipping valid on Tri-Flow Radiators within the Continental US only and expedited orders.











#### ATHENA PHEROM♥NES™ INCREASE AFFECTION



▼ Stan (NY) 27th order "I would like another 6 pack. You have a really good product. It really does work. For instance, my exgirlfriend had me over for dinner. (I am close with her son.) She had said, when we broke up, she would never get involved with me again. Well, we sat on a couch together and it wasn't 5 minutes and she (changed her mind)! I find 10X works I find 10X works everywhere. And for my brother also; I share it with him."

Free U.S. Shipping

Not in Stores. Call **610-827-2200**Athena Institute, Braefield Rd, Chester Spgs, PA 19425 **Athena institute.com** 



Unscented Formulas
Vial of 1/6 oz. added to 2 to 4 oz

Vial of 1/6 oz. added to 2 to 4 oz. of your favorite fragrance, worn daily lasts 4 to 6 months. Effective for 74%.





MONTE CARLO



**EL CAMINO** 

LARGEST INVENTORY

EXPERT ADVICE WITH BEST-IN-CLASS SERVICE

VALUE-ADDED SAVINGS

MANUFACTURER OF THE FINEST QUALITY RESTORATION PARTS!









Manufacturing reproductions of GM parts since 1982





ORIGINAL PARTS GROUP



CALL TOLL FREE: 1.800.243.8355 ORDER ONLINE: WWW.OPGI.COM

1770 Saturn Way, Dept. CC, Seal Beach, CA 90740 International Orders 562 594 1000 or fax us at 562 594 1050












## **REAR VIEN**



# **ROOF SCRAPER**

appears Beware was named appropriately, keeping the car from real competition runs. The Buick exhibited bad manners under full steam. Pellegrini posits that this tendency had roots in the unusual chassis design. In it's last serious, competitive run at Rockford Dragway, Beware broke the beams at more than Here's a rare one: Ron Pellegrini's 1968 "Beware" Buick Funny Car. What's not to like? Rear-tilt fiberglass Buick GS body, unique Palamides Chassis, blown Hemi (with Buick etched on the valve covers), and beautiful paint scheme. Pellegrini, however, credits this car for the end of his 12-year racing career. It 170 mph—on its roof.

## By Thomas Voehringer / Photo: Bob Swaim CAR CRAFT (ISSN 0008-6010); July 2015, Vol. 63, No. 07. Copyright 2015 by TEN: The Enthusiast Network Magazines, LLC. All Rights Reserved. Published monthly by TEN: The Enthusiast Network, LLC, 261 Madison Avenue, 6th Floor, New York, NY 10016. Periodicals Postage Paid at New York, NY, and at additional mailing offices. POSTMASTER: Send all UAA to CFS. (See DMM 707.4.12.5); NON-POSTAL AND MILITARY FACILITIES: send address $corrections \ to \ Car \ Craft, P.O. \ Box \ 420235, Palm \ Coast, FL \ 32142-0235. \ Subscription \ rates for 1 \ year \ (12 \ issues): U.S., \ APO, FPO \ and \ U.S. \ Possessions \$ \$20.00. Canada \$32.00. All other countries \$44.00 (for surface mail postage). Payment in advance, U.S. funds only. For subscription inquiries please $email\ carcraft@email\ customers er vice.com,\ call\ 800/800-7697\ (386/447-6385,\ international),\ or\ write\ to\ Car\ Craft,\ P.O.\ Box\ 420235,\ Palm\ Coast,\ FLourish F$ 32142-0235. CHANGE OF ADDRESS: Six weeks' notice is required to change a subscriber's address. Please give both old and new addresses and label.

## BLUEPRINT FOR THE PERFEC<sup>®</sup> PAINT JOB

**Professional quality at a DIY price!** 



High Transfer Efficiency



Low CFM Requirement



Precision Internals



"I like it! I'll give Eastwood's Concours Pro a solid 9 out of 10 and recommend it for any skill level. This 2-Gun set is a great value that adds even more versatility to this incredible HVLP paint gun"

KEVIN TETZ, Paint Expert of SEMA Cars

Watch the Video





**Detail Pro Gun** 



**Full-Size Pro Gun** 

+FREE XL Devilbiss
Reusable Coveralls\*\*

\$39.99 Value! Item #14898



DO THE JOB RIGHT. 800-343-9353

OFFICIAL TOOL SPONSOR: CENTER CENTER



FULL DETAILS AT: www.eastwood.com/

\*All deals in this ad expire 7/31/2015. Cannot be combined with other offers.
\*\*Free item will not appear in cart and will ship separately. Other exclusions may apply.


# ATOMIC ALLES

LS & LT1 INTAKE MANIFOLDS



#### LINGENFELTER

CHASSIS DYNAMOMETER TEST: LPE L28 CAMARO MSD VS AFTERMARKET INTAKE MANIFOLD 609 HP & 512 LBS-FT VS 573 HP & 496 LBS-FT



# FLOVITNG THE DOORS OFF THE COMPETITION

- Lingenfelter pulled a 36-HP GAIN AT THE REAR WHEELS over the competition as tested on an LPE L28 Camaro
- Optimized runner design created from advanced Computational Fluid Dynamic modeling
- Large 103mm throttle bore accepts 0EM and performance throttle bodies
- Lightweight and resists underhood temperatures
- Uniform air distribution to each cylinder
- Two piece design allows for advanced porting
- Still need more power? The AirForce has molded bosses for nitrous injectors

Patent Pending.

Go to AtomicAirforce.com for dyno results and more



TECH LINE: 915-855-7123